THIS FILE IS MADE AVAILABLE THROUGH THE DECLASSIFICATION EFFORTS AND RESEARCH OF:

# THE BLACK VAULT

THE BLACK VAULT IS THE LARGEST ONLINE FREEDOM OF INFORMATION ACT / GOVERNMENT RECORD CLEARING HOUSE IN THE WORLD. THE RESEARCH EFFORTS HERE ARE RESPONSIBLE FOR THE DECLASSIFICATION OF THOUSANDS OF DOCUMENTS THROUGHOUT THE U.S. GOVERNMENT, AND ALL CAN BE DOWNLOADED BY VISITING:

HTTP://WWW BLACKVAULT COM

YOU ARE ENCOURAGED TO FORWARD THIS DOCUMENT TO YOUR FRIENDS, BUT PLEASE KEEP THIS IDENTIFYING IMAGE AT THE TOP OF THE .PDF SO OTHERS CAN DOWNLOAD MORE!

### FEDERAL BUREAU OF INVESTIGATION

1

Date of transportation 3/24/81

Oelwein, Iowa, telephone number following information:

provided the

stated that in February of 1979, he traveled to Atlantic City, New Jersey, to attend an antique car auction sponsored by Kruse Auction Company. Advised that he had read about the auction during the first part of February, 1979, in a newspaper entitled "Old Cars Weekly", which is published in Iola, Wisconsin, and advised that the particular issue of the newspaper that he read mentioned that the auction was going to auction off a 1955 Chevrolet Corvette automobile, which was owned by Elvis Presley.

advised that on February 17, 1979, he bid
\$34,000 for this Chevrolet Corvette which supposedly belonged
to Elvis Presley, and his bid was accepted.

that the previous owner of the Corvette was
who lived in West Chester, Pennsylvania.

stated that
he did not meet

until after the sale of the
automobile.

advised that Kruse auctioneer definitely purported the Chevrolet Corvette to be a car which was owned by Elvis Presley. Advised that the Corvette was displayed in a roped-off area which had spotlights shining on the car, and Elvis Presley's music was being played in the background. Advised that the auction was also selling meroxed copies of the bill of sale of the automobile, which indicated that the Corvette was purchased from Don Allen Chevrolet in New York City on January 18, 1955, by Elvis Presley. Advised the Vehicle Identification Number for the Corvette was VE55SOO1102. Stated that the odometer reading for the automobile at the time he purchased the car was 45,731 miles. Stated that the auctioneer, whose name he does not recall, told him that the Corvette was restored by someone after

torrestigation on 3/12/81	Oelwein, Iowa	Omaha 87B-18813-5
sy_SA	61c	3/18/81

This document contains neither recommendations nor conclusions of the FBI. It is the property of the FBI and is leaned to your agency; It and its contents are not to be distributed outside your agency.

153

Presley had owned it and during the restoration, a bill of sale was discovered beneath the seat of the Corvette. This bill of sale is the bill of sale that indicated Elvis Presley had purchased the vehicle in New York City on January 18, 1955.

advised that he has the original invoice for the car and also the original bill of sale, and both of these documents indicate that the Corvette formerly belonged to Elvis Presley.

advised that he received the title to the Corvette from stated that no one at the auction mentioned anyming about the possibility of the car not being Elvis Presley's car.

advised he had the car transported to Oelwein. Iowa, where he has it in storage at the present time. has color photographs of Elvis Presley's Corvette and other antique cars which were at the February, 1979, Kruse Auction in Atlantic City, New Jersey.

advised that told him that he had owned the car himself for about one year and that he had shown the automobile at various shows and shopping centers, and he would receive money for these showings. stated that he heard from someone that paid \$24,000 for the Corvette when he bought it. advised the Corvette has a three-speed manual transmission and a Wonder Bar radio in it. advised that in the September 25, 1979, issue of Old Cars Weekly an article appeared which questioned the authenticity of the Corvette because of the fact that the Corvette had a three-speed manual transmission and a Wonder Bar radio in it. stated the article indicated that these options were not available at the time Presley purportedly purchased the vehicle. stated he realizes these options could have been added to the car after Presley owned it; and the car may still, in fact, be one of Elvis Presley's automobiles. advised that he has a good title for the automobile, but he wants to know if he has been defrauded by someone in the purchase of this car.

Iowa Attorney General's Office in Des Moines, Iowa, to have them check to see if the Presley Corvette is a fraud; however, the Attorney General's Office was unable to determine this fact. Stated that he checked with General Motors and they determined that the Vehicle Identification Number for the Corvette was the same number of a Corvette which was manufactured and shipped to Don Allen Chevrolet for sale. General Motors, according to was not able to determine if the dar was, in fact, sold to Presley.

stated he does not know if the car is a fraud. but he is restricted in selling the car if it is. stated the car would be worth approximately \$24,000 if it is not Elvis Presley's Corvette; however, it would be worth alot more than \$34,000 if it was, in fact, one of Presley's automobiles. Stated he has had several calls from persons throughout the United States wanting to buy the Corvette prior to the article appearing in the Old Cars Weekly newspaper in September of 1979.

SAC. QMAHA (87B-18813) (P)

67C

1955 CHEVROLET CONVERTIBLE, VIN VE55S00102, FOR ERLY ONNED BY ELVIS PRESLEY, VALUED AT \$34,000 ITSP (B) OO: Omaha

TO: SAC, NEW YORK CITY

Enclosed for New York City and Philadelphia is one copy each of an FD-302 which sets forth results of an interview on 3/12/81 with Celwein, Iowa.

670

For the information of New York City and Philadelphia, purchased a 1955 Chevrolet Corvette convertible, red in color, VIN VE55S00102, at the Kruse Antique Car Auction in Atlantic City, New Jersey, on 2/19/79, for the purchase price of \$34,000. This vehicle was purported to be a vehicle previously purchased and owned by Elvis Presley, 1034 Audobon Drive, Memphis, Tennessee. Mr. Presley, according to the only supporting document available, a bill of sale, Number 15208, purchased the vehicle on or about 1/18/55 from Don Allen Chevrolet, 1775 Broadway, New York City, New York.

of "Cld Cars Weekly" that questioned the authenticity of the 1955 Corvette due to the fact that the automobile has a three-speed manual transmission and also a Wonder Bar station-seeking radio. According to several Corvette authorities, these options were not available in January of 1955.

The State Attorney General's Office from Des Moines, Iowa, conducted a preliminary investigation in this matter for however, they were unable to prove or disprove the authenticity of the bill of sale in question.

2-New York City (Enc.1)
2-Philadelphia (Enc.1) 978-18813-6

(2) Onaha

\*\*\*Court of the city of the cit

CM 87B-18813

On 10/11/79 a letter was sent to West Chester, Pennsylvania, who had sold the vehicle to at the auction. attorney, advised the Attorney General's Office by letter that had purchased the webicle in Atlantic City, New Jersey, during February of 1978, from a lind L'eponsit. New York 11694, for a purchase prime of \$17,500. According attorney, the vehicle had been represented by tol as formerly belonging to Elvis Presley, and had made available the bill of sale document in question.

On 10/11/79 contact was made with Attorney at Law D. Beecher Smith, II, Smite 2000, Number One Commerce Square, Memphis, Tennessee, telephone number (901) 525-1322, the attorney handling the estate of Elvis Presley. Smith told the Attorney General's Office that his office would not be able to help in the investigation due to the fact that most of the records per any business transactions by Presley prior to 1973 were destroyed.

The Attorney General's Office contacted of Neponsit, New York, by letter, requesting him to supply information concerning the automobile; and by letter dated 1/16/80, advised that he had checked all of his papers and could find nothing pertaining to the Elvis Presley vehicle. Further attempts to contact by letter met with negative results.

### <u>LEADS</u>

### NEW YORK CITY DIVISION

### AT MEPONSIT (QUEENS), MEN YORK

Will interview

Meponsit, New York, to determine facts surrounding his purchase and the subsequent ownership of captioned automobile.

Will determine if the previous owner purported the automobile to be Elvis Presley's Chevrolet Corvette convertible.

### Oli 87B-18813

will determine from if he altered or renovated the automobile in any way while he owned it.

which would support his claim that the vehicle formerly was owned by Elvis Presley.

### PHILADELPHIA DIVISION

### AT WEST CHESTER, PERSONNAL

and will determine from cxact details of his purchase of the 1955 Chevrolet Corvette in February of 1978, at the Atlantic City, New Jersey, auction.

will also determine how previous owner, represented the automobile to

Will further determine if suspected that the automobile may not be one of Elvis Presley's former automobiles.

stated that he did not replace the automobile's radio nor did he replace the transmission.

said that he did nothing more than mount the bill of sale and nothing further to purport this car to be formerly owned by ELVIS PRESLEY.



## FEDERAL BUREAU OF INVESTIGATION FOIPA DELETED PAGE INFORMATION SHEET

 $t_{t_i}$ 

	Page(s) withheld entirely at this location in the file. One or more of the following statements, where indicated, explain this deletion.
	Deleted under exemption(s) with no segregable material available for release to you.
	Information pertained only to a third party with no reference to you or the subject of your request.
	Information pertained only to a third party. Your name is listed in the title only.
	Document(s) originating with the following government agency(ies), was/were forwarded to them for direct response to you.
	Page(s) referred for consultation to the following government agency(ies);  as the information originated with them. You will be advised of availability upon return of the material to the FBI.
2	Page(s) withheld for the following reason(s):  Lupline capy of HQ 87-153820-2
	For your information:
<b>p</b> e	The following number is to be used for reference regarding these pages:  OM 878 - 18813 - 7

XXXXXXX XXXXXXX XXXXXXX

FBI/DOJ

159

### FEDERAL BUREAU OF INVESTIGATION

1

5/7/81

Iowa, provided the original car invoice Number 15208 from Don Allen Chevrolet Company, 1775 Broadway, New York 19, New York, which was dated January 18, 1955. This original invoice is owned by the provided Convertible of Oelwein, Iowa. The invoice indicates a 1955 Chevrolet Corvette convertible, red in color, bearing serial Number VE55S001102, was sold to Elvis Presley of 1034 Audobon Drive, Memphis, Tennessee, for a total cash price of \$3,864. The invoice further indicated that the 1955 Corvette had the following optional equipment and accessories:

b1D

- 1) 195 horsepower "turbo Fire V-8" engine.
- 2) Three speed manual transmission.
- Wonderbar radio (signal seeking).
- 4) Trunk mat.
- 5) Floor mats.

investigation on_	4/27/81		Omaha 87B-18813 -8
sa sa		610	5/1/81
		1)	



## FEDERAL BUREAU OF INVESTIGATION FOIPA DELETED PAGE INFORMATION SHEET

1 1

	Page(s) withheld entirely at this location in the file. One or more of the following statements, where indicated, explain this deletion.
	Deleted under exemption(s) with no segregable material available for release to you.
	Information pertained only to a third party with no reference to you or the subject of your request.
	Information pertained only to a third party. Your name is listed in the title only.
	Document(s) originating with the following government agency(ies), was/were forwarded to them for direct response to you.
	Page(s) referred for consultation to the following government agency(ies);  as the information originated with them. You will be advised of availability upon return of the material to the FBI.
2	Page(s) withheld for the following reason(s):  Cuplicate copies of HR 87-153820-3
	For your information:
<b>2</b> 0	The following number is to be used for reference regarding these pages:  OM 878-18813-9; 10

XXXXXX XXXXXX XXXXXX

5/8/81

Date of transcription,

residence regarding his acquisition of a 1955 Chevrolet Corvette Convertible, VIN VE55800102.

advised that his hobby is to restore collector type cars and sell them at auctions. Over the past 10 years, has restored and sold over 80 cars, most of which were sold through the Kruse Auctioneers based in Auburn, Indiana.

Sometime during November, 1977, read an advertisement in the New York Times offering a 1955 Corvette for sale, contacted the seller, name unrecalled, a New Jersey resident, and offered \$4,000.00 in cash. The seller agreed and took possession of the automobile. At the time of sale, the seller provided a Don Allen Chevrolet bill of sale in the name of ELVIS PRESLEY and a window options sticker. Additionally, the seller provided an out of state title in the seller's name.

then invested \$8,000.00 to \$10,000.00 in all new original chrome, wheels, tires, new upholstery, and new hub caps, which were purchased from Lincoln Corvette's in Nebraska.

advised that in all, he had invested approximately \$14,000.00 in this automobile, and if necessary, he should be able to locate many of the receipts which corroborate his expenses in refurbishing the automobile.

In approximately February, 1978, offered this automobile for sale through Kruse Auctioneers in New Jersey, where the vehicle was sold to for \$17,500.00, less 84 commission to Kruse. According to the furnished the original title in the name of the New Jersey seller to Kruse when the car was sold as well as the window sticker and Don Allen Chevrolet bill of sale.

further stated that he profited no more than \$3,000.00 on the automobile and could not verify that this vehicle was in fact, formerly owned by ELVIS PRESLEY. Therefore, sold the car for very little profit said that if were able to verify this claim, the automobile would have been worth approximately \$100,000.00 as a collector's item.

5/8/81	Meponsit, New York	OM878-18813-11 30 878-83477
O SA	by C Donn dictor	5/8/81

This document contains neither recommendations nor conclusions of the FBI. It is the property of the FBI and is leaned to your agency; if and its contents are not to be distributed outside your agency.

en de la composition La composition de la 162

### Memorandum





To

SAC, OMAHA (87B-18813)

Date MAY 2 7 1981

Prom .:

SAC, BROOKLYN-QUEENS (87B-83477) (RUC)

Subject :

67C


1955 CHEVROLET CORVETTE CONVERTIBLE, VIN VE55S00102 FORMERLY OWNED BY ELVIS PRESLEY, VALUED AT \$34,000.00 ITSP(B) (00: OM)

Enclosed for Omaha is an original and six (6) copies of an FD-302 and original notes.

On 5/8/81, was interviewed regarding his acquisition and subsequent sale of captioned vehicle. According to over the past 10 years he has purchased and sold over 80 "collector's cars" through the Kruse Auctioneers. purchased captioned vehicle for \$4,000.00 from a New Jersey resident and placed \$10,000.00 in parts into this car in order to refurbish it. purchased the car with a bill of sale in the name of ELVIS PRESLEY as well as the window options sticker. The New Jersey seller name unrecalled, also provided the title for the vehicle. When sold the car, the same original title in the name of the New Jersey owner, was passed along to Kruse Auctioneers. made no changes to the radio or transmission. According to he mounted and laminated the bill of sale he mounted and laminated the bill of sale but could not be absolutely sure the car was in fact, ELVIS PRESLEY's. stated that if he were able to positively prove this car belonged to PRESLEY, he would have been able to sell it for \$100,000.00. Sold the car to through Kruse for \$17,500.00 less 8% commission for Kruse. Resultingly, profited less than \$3,000.00 on the car.

2-Omaha (Encls. 8)

(3) b1C



BQ 87B-83477 .

### **LEADS**

### OMAHA, NEBRASKA

AT WATERLOO, RA. Will, if deemed necessary, contact
Kruse Auctioneers, Auburn, Indiana, 46707, and determine if their
records reflect a photocopy of the title surrendered by
at the time of sale. This title will reflect the New Jersey
owner who sold the vehicle to
the previous owner.

### memoran

6/15/81

SAC, OMAHA (87B-18813) (P)

81B-18813 CHANGED

**S**A

1955 CHEVROLET CORVETTE CONVERTIBLE, VIN VE55S00102, FORMERLY OWNED BY ELVIS PRESLEY, VALUED AT \$34,000 ITSP (B) OO: Omaha

SAC, ST. LOUIS TO:

> Title marked Changed I. O. to add the name of subject!

b7C

Enclosed for each receiving office is one copy of an invoice Number 15208 from Don Allen Chevrolet, 1775 Broadway, New York 19, New York, dated 1/18/55, for a 1955 Chevrolet Corvette convertible, sold to Elvis Presley, 1034 Audobon Drive, Memphis, Tennessee, for a total cash price of \$3,864.

For the information of receiving offices, bic purchased a 1955 Chevrolet Corvette convertible, red in color, VIN VE55S00102, at the Kruse Antique Car Auction in Atlantic City, New Jersey, on 2/19/79, for the purchase price of \$34,000. This vehicle was purported to be a vehicle previously purchased and owned by Elvis Presley of 1034 Audobon Drive, Memphis, Tennessee. Mr. Presley, according to the only supporting document available, a bill of sale, Number 15208, purchased the vehicle on or about 1/18/55, from Don Allen Chevrolet, 1775 Broadway, New York City, New York. The Don Allen Chevrolet Company of New York City has been out of business since 1966.

2-St. Louis (Enc. 1) 87B-18813-13 2-Memphis (Enc. 1) 2-Newark (Enc. 1) 2-Omaha Serialized Indexed

Buy U.S. Savings Bonds Regularly on the Payroll Savings Plan

OPTIONAL PORM NO. 1 GREV. 7-76) BA FPMR (41 CFR) 191-11.1 MA-112

of "Old Cars Weekly" that questioned the authenticity of the 1955 Corvette due to the fact that the automobile has a three-speed manual transmission and also a WonderBar station-seeking radio. According to several Corvette authorities, these options were not available in January of 1955. There is also a question as to whether or not the Turbo Fire V8 engine was available in January of 1955.

The State Attorney General's Office from Des Moines, Iowa, conducted a preliminary investigation in this matter for however, they were unable to prove or disprove the authenticity of the invoice in question.

On 11/10/79 a letter was sent to

West Chester, Pennsylvania, who
had sold the vehicle to
at the Kruse Auction.

Attorney,

General's Office by letter that had purchased the
vehicle in Atlantic City. New Jersey, during February of 1978,
from a Mr.

New York 11694, for a purchase price of \$17,500. According
to attorney, the vehicle had been represented by
as formerly belonging to Elvis Presley; and
had made available the invoice document in question.

On 10/11/79 contact was made with Attorney at Law D. Beecher Smith, II, Suite 2000, Number One Commerce Square, Memphis, Tennessee, telephone number (901) 525-1322, the attorney handling the estate of Elvis Presley. Smith told the Attorney General's Office from Des Moines, Iowa, that his office would not be able to help in the investigation due to the fact that most of the records per any business transactions by Presley prior to 1973 were destroyed.

of Neponsit, New York, was interviewed on 5/8/81, and he indicated that he was a collector of cars and sold over 80 cars during the past 10 years through the Kruse auctioneers. Admitted buying captioned vehicle for \$4,000 from a New Jersey resident; and he, himself, spent \$10,000 in parts for the Corvette in order to refurbish it.

Advised he did not change the transmission of the automobile, nor did he install a new radio in the car.

Was not able to provide the name of the individual who owned

the car; however, he did indicate that he bought the car from a man who lived in New Jersey. Advised that the invoice, or bill of sale that he received when he purchased the car from the man in New Jersey, was sold to him with the car and he laminated the invoice himself.

 $(\ (\ )\ )$ 

sated that if he were able to positively prove the car belonged to Elvis Presley, he would have been able to sell it for \$100,000; but, in fact, he sold the car to through the Kruse Auction for \$17,500 and his profit was less than \$3,000 on the car.

To date, the state of West Chester, Pennsylvania, has not been reached for interview by the FBI.

The Iowa Attorney General's Office at Des Moines,
Iowa, learned from the Department of Motor Vehicles for the
State of New Jersey that the captioned automobile was purchased by on 2/16/78 from
Basking Ridge, New Jersey, telephone
number

The original of the enclosed invoice was examined by the Document Section of the FBI Laboratory and it was noted that there were several corrections made on the document and also it appeared as though there were areas in which the lines and several letters had been retouched as is often the case in the production of counterfeit documents. The typewriter used to prepare the document and the Correcto-type tape used to make typewriter corrections were both available commercially in 1955. The FBI Laboratory would need an original Don Allen Chevrolet car invoice to compare invoice to in order to specifically state whether or not the document was a fraud.

### <u>LEADS</u>

### ST. LOUIS DIVISION

### AT ST. LOUIS, MISSOURI

Will contact the Chevrolet Manufacturing Plant, Corvette Division, and attempt to determine if captioned 1955 Chevrolet

Corvette automobile with VIN VE55S00102 could have been manufactured with the following optional equipment and accessories:

- 1) A 195 horsepower "Turbo Fire V8" engine.
- 2) A three-speed manual transmission.
- 3) A WonderBar signal-seeking radio.

### MEMPHIS DIVISION

 $\mathbf{C}_{0}$ 

### AT MEMPHIS, TENNESSEE

Will contact D. Beecher Smith, II, Attorney at Law, Suite 2000, Number One Commerce Square, Memphis, Tennessee, telephone number (901) 525-1322, the attorney handling the estate of Elvis Presley, and determine from Mr. Smith if it would possible to identify the insurance company used by Presley to insure his automobiles and other vehicles.

If the insurance company is identified and if a representative office of that company is located in Memphis, Tennessee, will contact the office to determine if captioned vehicle is listed among the vehicles insured by Presley.

### NEWARK DIVISION

### AT BASKING RIDGE, NEW JERSEY

telephone number to determine the facts surrounding his purchase and subsequent ownership of captioned automobile.

enclosed invoice which he provided to when he sold the car to

Will determine from whom he purchased the vehicle from and what he paid for the car when he bought it.

Will determine from the sit if he altered or renovated the automobile in any way while he owned it, and will obtain copies of any documents might have which would support a claim that the vehicle was formerly owned by Elvis Presley.

### FEDERAL BUREAU OF INVESTIGATION

	•	5/20/81
	Dete of transcription	Chester, PA,
Chester, PA, telephone and information:	was contacted at furnished the foll	the office
On February 18, 1978, Auction in Atlantic City, NJ, during registered a 1955 Chevrolet Corvett the car by publicly announcing that to Elvis Presley and that he was so announced that he had the original name on it that was mounted on a plottle of sale looked authentic to believe that the car was not one of automobiles and that he bought the bill of sale.	ig which time to with Kruse and retained in the displayment of sale with Plaque which he displayed and he had not belvis Presley's for	presenting belonged further resley's ayed. The reason to rmer
which bid was accepted. He paid Kn cleared and received the bill of sa stated that he received no the Presley bill of sale.	ale at the time of p	check which urchase.
kept the Corvette for a year garage except for displaying it at PA, for which he received no money from the show in a covered trailer it had a three-speed transmission. concerning the car's radio. He stairregular about the car and that he the car whatsoever with the except:	contact with him si ar during which he k a custom car show i He trailered the When puro He does not remembated that there was	ept it in a n Philadelphia car to and hased the car er anything nothing changes to
furnished a copy sale to Special Agent January 18, 1955, Presley, 103 Audia new 1955 red Chevrolet Corvette, Chevrolet, 1775 Broadway, New York #15208, invoice #SS-203.	VIN VE55S001102 ITC	TN, purchased on Don Allen all of sales
etion en5/20/81 et West Ches	ter, PA87	7B-28890 (NSRA)

This document contains neither recommendations nor conclusions of the FBI. It is the property of the FBI and is leaned to your agency; it and its contents are not to be distributed outside your agency.

5/20/81

PH 87B-28890

The following investigation was conducted by Special Agent at Newtown Square, PA.

On May 8, 1981, a review of the 1980 Bell Telephone Company of Pennsylvania, Alphabetical Telephone Directory for West Chester, PA, disclosed two listings for West Chester, PA, non published telephone

number.

SERIALIZED MIDENED  SERIALIZED FILED  JUN 19 1981  FBI — OMAHA

172

61C

## memorandum



ZE: 6/10/81

SAC, PHILADELPHIA (87B-28890)(NSRA)(RUC)

670

1955 CHEVROLET CORVETTE CONVERTIBLE,

VOI VE55S00102, FORMERLY OWNED BY
ELVIS PRESLEY, VALUED AT \$34,000,
ITSP (B)
(OO:OM)

SAC, OMAHA (87B-18813)

Re Omaha letter to New York and Philadelphia, 4/13/81.

Enclosed for Omaha is a copy of a bill of sale #15208, concerning a 1955 Corvette purchased by Elvis Presley on 1/18/55 from Don Allen Chevrolet, 1775 Broadway, New York, NY. Also enclosed for Omaha is the original and one copy each of an investigative insert reflecting investigation conducted at Newtown Square, PA, and an FD-302 reflecting interview with on 5/20/81 at West Chester, PA.

2 Omaha (Encl. 5) 1 - Philadelphia (87B-28890)(NSRA)

(3) 67C

SEARCHED MIDERED
SERIALIZED FILED

JUN 19 1981

FBI — OMAHA

FBI — OMAHA

B 7 C PTIONAL PORM NO. 10
PIEV. 1-80)

GRA FPMIR (41 CPR) 101-11.6

B010-114

-1\*-

الله يُحْمِدُ اللهُ وَاللَّهِ اللَّهِ وَاللَّهِ اللَّهِ وَاللَّهِ اللَّهِ وَاللَّهِ وَاللَّهِ وَاللَّهِ وَاللّ

**&**U.S. Communet Printing Office: 1808—311-163/8046

17

Countle News -313 - 556 - 5727 (outed) 8-346-5727

### ORDER FORM

### ORDER FORM

### The Corvette Black Bock

Published By
Michael Bruce Associates, Inc.
Post Office Box 396
Powell, Ohio 43065

— Content Instructions	,	1965 Corvette	32 34
IIISTI UCTIONIS		1300 COI VELLO	
1953 Corvette	8	1967 Corvette	36
1954 Corvette	10	1968 Corvette	38
1955 Corvette	12	1969 Corvette	40
1956 Corvette	14	1970 Corvette	42
1957 Corvette	16	1971 Corvette	44
1958 Corvette	18	1972 Corvette	46
1959 Corvette	20	1973 Corvette	48
1960 Corvette	. 22	1974 Corvette	50
1961 Corvette	24	1975 Corvette	52
1962 Corvette	26	1976 Corvette	54
1963 Corvette	28	1977 Corvette	56
1964 Corvette	30	1978 Corvette	58

© Michael Bruce Associates, Inc., 1978. All rights reserved under Pan American and Universal Copyright Conventions by Michael Bruce Associates, Inc. Reproduction without permission is prohibited.

Because of the possibility of errors, exceptions, or other reasons for inaccuracy, Michael Bruce Associates, Inc., disclaims all responsibility for the accuracy of all information presented within this publication.

THISD PRINTING

# HOW TO USE THIS INFORMATION

As most automobiles, Corvettes are laden with a plethora of number designations. Some numbers are insignificant, but others can be important in determining a Corvette's authenticity. Here's what to check.

### **Body/Chassis Number**

The most familiar number is the body/chassis number, also referred to as the serial number, or vehicle identification number. It is this number which appears on most auto titles, though some states have used others such as another numbers.

The body/chassis number is assigned during vehicle assembly. Each car receives its own individual number in sequence. Though the format of the body/chassis number has been changed for the Corvette several times it will, at the very least, indicate the year of production and when the car was assembled rejoine to others during the same model year.

The body/chassis number is stamped into a place which is attached to the body of each Curvette. The location of the place varies with different years.

From 1953 through early 1960, the plate was attached to the driver's side door post. Most 1960 and all 1961 through 1962 models have the plate attached to the steering column in the engine compartment. The 1963 through 1967 models have the plate attached to the instrument support brace under the glove box. The serial plate for 1968 and newer Corvettes is attached to the dash panel or windshield post, visible through the windshield.

In addition to the serial plate, the body/chassis number is also stamped into the frame in several locations in most Corvettes. From 1960 on, the sequential portion of the number is also stamped into the engine block, on a pad just forward of the passenger-side engine head.

Except for 1955, the body/chassis number does not reveal which engine a Corvette has, until 1972 when the number format was revised to include a letter which was coded to engine type.

### **Engine Numbers**

When a Corvette V-8 engine block is cast at a foundry, two important numbers become an integral part of the casting. One is a seven digit GM part number which appears as a uniform, raised numerical series located on the

top rear, driver's side of the engine block. In the tables, this number is referred to as the engine casting number. The number remains the same for similar series of blocks. For some Corvette years, the same aggine casting number will appear on all engines, regardless of horsepower. In some cases, the same blocks are interchangeable with Chevrolet passenger cars. Therefore, verification of this number does not necessarily indicate the correctness or originality of a Corvette engine installation.

Another important number is cast into the block at the foundry. This number is smaller than the engine casting number and more rough in appearance. This is because it is changed daily to correspond to the date of casting. The code usually appears as three or four characters, a letter followed by numbers. The letter indicates the month of casting. The day is indicated by the first one or two numbers. The last number indicates the year. Thus, A122 would appear on a block cast on January 12, 1962 (or 1972). The code is on the top rear, passenger-side of the block.

When a Corvette engine is assembled at a Chevrolet engine plant, an important number is stamped into the engine block, on a pad just forward of the passenger-side engine head. This number is usually seven or more characters. The first character is alphabetic and signifies the manufacturing plant location. The next four digits are numerical and indicate month and date of engine assembly. The last one or more characters are alphabetic and designate the intended use of the engine. The last alphabetic characters are referred to as "engine suffit" in our tables for Corvette V-8 engines, and are almost always unique to Corvette usage. A stamped engine number of T0112RF would translate to a Corvette fuel injected engine (RF), built on the 12th day (12), of January (01), at the Tonnawanda (T) engine

Considerable emphasis is placed by Corvette enthusiasts on engine/chassis originality and, because of this, "counterfeit" cars with number alterations are becoming more common. Absolute authenticity is nearly impossible to determine, but knowledge of the chassis and engine numbering systems can reduce risk to a minimum. Remember that:

- (1) 1959 and older Corvettes have many Identification numbers, but the chassis was not directly keyed to the engine when the car was assembled.
- (2) 1960 and newer Corvettes have digits of the body/chassis senal number stamped into the engine block during final vehicle assembly.
- (3) When a Corvette engine is assembled, it is stamped with a source, date, and usage code. The stamping "pad" location is the same as later used for stamping the sequential portion of the body/chassis number during vehicle assembly.
- (4) When the block for a Corvette engine is cast, it receives a part number and a date code. Verification of the part number will not determine specific currectness, but will indicate that the engine is from the correct "family". The date code should pre-date the final engine assembly date.

Several other numbers are listed in our table for other "bolt on" engine components, especially for earlier Corvettes. Many of these numbers are important, particularly in concours events, but the originality of the engine block is by far the most important consideration.



This section should be read with caution. Practically every piece of GM interature contains some type of disclaimer as "... accurate at press time, but manufacturer reserves right to change options and prices without notice." The purpose of the wording is obvious. Prices and options do change, and not just at model change time. There have been Corvette model years when suggested prices have changed four times. Manufacturing problems, both within GM and at supplying vendors, may cause listed options never to be available. Public demand may force an option to be listed mid-year but that option may never appear in promotional literature.

The data for the options tables was assembled from the inputs of several sources. Wherever possible, early production information was used. In some cases options advertised, but not actually installed in Corvettes, are included

with explaining footnotes.

Starting in 1967. Chevrolet attached an option list to the top of Corvette gas tanks during assembly. Provided the list has not been removed, verification of original factory-installed options can be made by dropping the tank on 1967 and later models. Other than original purchase information, such as window price stickers, positive verification is difficult for earlier models.

Emission controls required by the Federal Government have usually been included in the base cost of Corvettes. Regional requirements, such as for California and high altitude areas, are usually not included in base costs since these typically exceed Federal standards. For example, 1966 Corvettes sold in California were equipped with Air Injector Reactors (RPO K19) which cost customers an extra \$47.55 retail. California requirements for 1973 Corvettes included a \$15.00 assembly line emissions test (RPO YA7), and certification (RPO VJ9), a no-charge "option." Because of the regional aspects of emissions equipment and yearly fluctuations, this information is not included in the option tables.

#### Colors

Some controversy will always exist regarding factory available colors for Corvettes. This is especially true for the 1962 and older Corvette models.

Prior to the 1963 model Corvette, no paint identification coding was affixed to the Corvette body. Thus, if an earlier Corvette is re-painted carefully enough, the color can be changed without detection. Easier said than done, and most repaint can be recognized if inspected closely enough. But the lack of positive ID plate verification keeps the paint controversy brewing.

The "code" listed in the tables is the exterior color code stamped on a plate which is affixed to Corvette bodies starting in 1963. The plate is on the dash support member under the glove how in 1963 through 1967 models, and on the driver's side door post in 1968 and newer models.

Chevrolet has always used lacquer for the exterior body surfaces of Corvettes. 1957 and older Corvettes were painted with nitrocellulose lacquer, except for laca Silver models which were acrylic lacquer. All 1958 and newer Corvette models were factory painted with acrylic lacquer. For refinishing, the acrylic celus are generally available from most major suppliers. The

nitrocellulose colors can be a problem, since many paint formulas for the older colors have been pulled from local suppliers by paint manufacturers. The Corvette enthusiast has the choice of cross-referencing to an acrylic equivalent, or using original nitrocellulose lacquer supplied by vendors who service the antique auto market.

In using the "interiors" portion of the tables, it should be remembered that the interior-exterior combinations listed were not necessarily the only ones available. The combinations were generally limited in earlier years to those specified by Chevroict, but in later years the combinations are only factory recommendations. If a customer wished a light blue "78 with a red interior he could have it, provided the dealer marked the order blank to indicate a non-recommended customer preference.

Cotor availability often changes. Some colors listed by Chevrolet for Corvettes were never used, while others not listed have. For instance, the Saffron exterior color listed for the 1978 Corvette was withdrawn before production and replaced with Mahogany. Another problem is that many published listings of Corvette colors are incomplete. A flagrant example is the often printed list of three 1963 exterior colors, red. blue, and silver. Actually, there were seven exterior colors available. Even GM's dealer parts books are incorrect.

### **Summary and Caution**

This publication, especially the section to follow, is intended to promote the fun and enjoyment of the Corvette hobby by presenting useful information in a readily accessible format. A great deal of effort has been expanded in compiling the data and verifying it, including checking by many of the country's foremost Corvette enthusiasts prior to publication.

But almost nothing is absolute in the world of automobiles, especially Corvettes. A very high percentage of the following data is accurate for a high percentage of Corvettes, but exceptions are possible in almost every catagory.

Because of the very rature of auto production, a totally accurate listing of automotive facts, particularly related to part numbers, is impossible. General Motors does not document every production change made. The replacement parts aspect of General Motors is keyed to function, not originality. Parts are interchanged during production when shortages occur. New parts inventiones are not always phased in so that all "old" parts are used before new.

The information in the tables to follow has been obtained from hundreds of sources. The sources range from published General Motors documents to surveys taken by organizations like The National Corvette Restorer's Society. Some of the data has never before been published, information derived from surveys and observation tends to be accurate but not necessarily totally inclusive since it is based on a sampling of vehicles.

In short, you should never rely on published data as the final guideline in determining a Corvette's value. It can be halpful to you, but in the end you must balance it with good judgement, logic, and common sense.

Because of the possibility of errors, exceptions, or other reasons for inaccuracy, Michael Bruce Associates Inc. disclaims all responsibility for the accuracy of all information presented within this publication.

### **1953 SERIAL NUMBERS**

Body and Chaosis: E53F001001 through E53F001300

Engine Serial: LAY prefix Block Casting: 3701481 Head Casting: 3836066 Distributer: 1112314 Generator: 1102793

Starter: 1107109 (2-coil). 1107075 (service)

Cartureters: Carter YH2066S (early) Carter YH2066SA (late)

 Headlight rim and bucket components are numbered in matched sets for assembly. However, the assembly numbers do not necessarily correspond exactly to the serial number of the car.

### **1953 FACTS**

- 1953 models have two interior hood releases, one for each latch.
- 1953 models have "short" exhaust extensions.
- Approximately the first 25 Corvettes made in 1953 had the "dome" wheel covers common to Chevrolet passinger cars. These were used white welting for delivery of the regular Corvette covers.
- Standard Corvette production wheel covers (1953-1955) are single stamped discs with two chrome "spinner" ornaments attached parallel to a central Chevrolet Bow Tie emblem. An estimated 25 sets of caps were made with the spinner mounted perpendicular. These are rare and expensive.
- Early wheel discs have spinners which are plated brans forgings, but suppliers later changed to plated zinc die castings.
- General Motors recently stamped several hundred "new" wheel discs for 1953-1955 Corvettes. They do not have the spinners or the Indentations where the spinners mount.
- Wire wheels were not available, although some 1953 Corvettes were so equipped by dealers.
- Crity the 1953 model came with black oil cloth window storage bags.
- Antennas were standard on all 1953 Corvettes and consist of a mesh screen filtergiasted into the inside surface of the trunk lid.
- 1953 parking brake brackets are painted red. 1954 and later are black.
- 1953 tr.·nk kds do not have moisture absorbant container for license recess found in 1954 and 1955 models.
- Early 1953 models (up to #175) use a took operated windshield washer.

- The valve cover of die 1953 Corvette is a unique variation of the standard 1953 Chevrolet passenger car cover. The Corvette version is flattened at the forward end for hood clearance. The cover differs from later years by its dual central hold-down bolts. Later covers are held by bolts around the periphery. The 1953 cover has the words "Stue Flame" on the passenger side and "Special" on the drawn side.
- 1953 valve covers are finished in blue-green engine enamel.
- The radiator surge tank of the 1953 and early 1954 models is unique. Its surface is smooth but later units have rigidity bands stamped in.
- Early 1953 models use a unique gas filter door. Later units were redesigned for better access. The change occurred between models #83 and #91.
- The 1953 carburetor connecting linkage is a one-piece stamping.
- The location of the fuel filter in the 1953 model is in the fuel line, just forward of the front carburator.
- Of the 300 1953 Corvettes made, about 225 are accounted for today. Both the third and fourth Corvettes off the Fint assembly line are alive and well in the hands of private owners. The first and second Corvettes made are missing. Rumors and stories never cease, but the most commonly accepted explanation of the whereabouts of the first two Corvettes is that they were both sent to Chevrolet Engineering for testing and eventual destruction. However, conclusive documents supporting their destruction have never been located.
- 1953 exhaust values are shorter than later enodels.
- 1953 brake and fuel lines run outside the chassis frame. Later models, starting early in 1954 production, run along the inside.
- Ignation shielding in the 1953 model consists of upper and lower formed metal shields. They are painted, not plated.
- The starters in the 1953 model use a two-field coil.
- The road draft tube in most 1953's has a smooth top surface. Some 1953's and all later units have an "X" stamped in for flex resistance.
- 1953 trunk mats are unique to the year, being slightly smaller than later years. The mat number is #4636966.

### 1953 OPTIONS

ORDER #	DESCRIPTION	RETAIL S
2934	Base Corvette Convertible	3498.00
101A	Heater	91.40
1018	Signal Seeking AM Radio	145.15
• Prices she	own include federal excise taxes. Local taxes ar	d dealer charges were

- Prices shown include federal excise taxes, Local taxes and dealer charges were not included and varied throughout the country.
- Although listed as options, both the heater and radio were installed in all 1953 Corvettes built.

### 1953 COLORS

CODE	EXTERIOR Polo Marca	SOFT TOP	WHEELS	INTERIOR
None	Polo White	' <b>@lack</b>	Red	1460

### **1954 SERIAL NUMBERS**

Body and Chassis: E545001001 through E545004640

Engine Serial: F54YG suffix Block Casting: 3835911 Head Casting: 3836241 Distributor: 1112314 Generator: 1102793

Starter: 1107109 early (2-coil), 1108035 later (4-coil)

Carburetors: Carter YH2066SA

#### 1954 FACTS

- Early production 1954 models have two interior hood releases. Later models have a single interior release which activates both hood latches.
- The window storage bag for the 1954 is color keyed to the car's interior (red or beige). The design is more square in shape than the previous model.
- The 1954 Corvette valve cover is similar to the redesigned 1954 Chevrolet passenger car cover. Both are attached to the head by stovebolts around the cover's periphery. In the case of the Corvette, the valve covers can be either chrome plated or finished in engine ename! blue. The painted Corvette cover has the decals "Blue Flame" and "150" reading from the passenger side.
- The radiator surge tank of the 1954 Corvette, except for very early models, has two rigidity bands formed in the tank. All tanks are chrome plated.
- 1954 Corvettes have vacuum operated windshield washer systems which are activated by pushing a button on the windshield wiper switch.
- The 1954 carburetor connecting linkage is a fabricated three-piece link.
- The 1954 fuel filter is mounted on the right side of the engine block adjacent to the fuel pump.
- 1954 brake and fuel lines are routed inside the frame members, except for very early models.
- Ignition shielding in the 1954 model consists of upper and lower formed metal shields. They can be painted or chrome plated. Although most 1954 models are now seen with both the valve cover and shielding chrome plated, or both units painted, the factory did not necessarily assemble the shields and covers as matched finish sets. Combinations of plated and painted units exist.
- The starters in the 1954 models use four-field coils, except for very early production models.
- The road draft tube in the 1954 model has an "X" stamped in the top surface for rundity. Most used in 1953 were smooth.

- Early 1954 models have the "bullot" air cleaners common to the 1953 model.
   Models later than #2906 have the dual "pot" apparatus, designed in part to reduce the chance of engine fires.
- The "Blue Flame Sat" engine used in all 1954 Corvettes carries a rating of either 150 or 155 HP. The higher horsepower was a running change made during 1954 by revising the camshaft design. Externally the engines are the same, but the more powerful version can be detected by inspecting the camshafts. The later camshafts have three dots between #5 and #6 inter camshafts.
- All 1954 Corvettes have six volt electrical systems.
- 1954 radios are the same as 1953 except that during 1954 the tuning face received 640 and 1240 KC Coneirad national defense markings.
- All 1954 soft tops are tan canvas with top bows painted to match.

#### 1954 OPTIONS

ORDER #	DESCRIPTION	RETAIL S
2934	Base Corvette Convertible	2774.00
100Q	Directional Signal, Polo White	16.75
100Ř	Directional Signal, Pennant Sive	16.79
101A	Heater	91.40
102A	Signal Seeking AM Radio	145.15
2908	Whitewall Tires, 6.70x15	26.90
313M	Powerglide Automatic Transmission	178.35
420A	Parlung Brake Alarm	5.65
421A -	On	4.05
422A	Windsheld Washer	11.45

- Prices shown include federal excise taxes. Local taxes and dealer charges are not included and varied, Prices effective October 28, 1954.
- The options list would seem to imply that a manual transmission was included in the base cost of the 1954 Corvette since the automatic is listed as an epoon, which was not the case. All 1954 models had the automatic.

### 1954 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Poio White	Beige	Red	Red
None	Pennant Blue	Beide	Rect	Beign
None	Sportsman Red	Buige	Red	Red
None	Black	Beioe	Red	Red

The four colors shown are those known to have been used for 1954 Corvettes. White and blue were the main colors used (especially white) and together account for about 95% of the 1954 Corvettes Build. Estimates of red usage are about 3%. Many enthusiasts believe that a handful of 1954 models were painted other colors. Part of this belief results from the existence of paint availability bulletins which indicate that several other colors were available. Also, some individuals claim to have genuine examples of factory original 1954 Corvettes with colors other than white, blue, red or black. The additional colors thought to have been available include Metallic Green and Metallic Broose.



### 1955 SERIAL NUMBERS

Body and Chassis: VE555001001 through VE55S001700\*

Engine Serial: F55YG suffix (6 cylinder)

FSSFG suffix (V-8 with powerglide)

F255GR suffix (V-8 with manual transmission)

Black Casting: 3835911 (6 cylinder)

3703524 (V-8)

Head Casting: 3836241 (6 cylinder) Distributor: 1112314 (6 cylinder)

1110855, 1110847 (V-B)

Generator: 1102793 (6 cylinder)

1102025 (V-8)

Starter: 1108035 (6 cylinder-4 coil)

1107627 (V-8)

Carburetors: Carter YH2066SA (6 cylinder)

Carter WCFB 2218S, 2351S, 2366S, 3769S (V-8)

"The majority of 1955 models were equipped with V-8 engines and the body and chassis number carries a "V" prefix as indicated above. 1955 models equipped with the six cylinder engines do not have this prefix. 1955 is thus the only vintage Corvette year with a body/chassis number that identifies the type of engine installed. 1955 is also the only model year ever available with both six and eight cylinder engines.

### 1955 FACTS

- Total production of the 1955 model Corvette was 700 units. According to published data by the NCRS, of the last 555 models built (79% of total production) only six were equipped with the six cylinder engine.
- Externally, the six and eight cylinder models are similar, but the eight can be identified by a modification to the "Chevrolet" side identification consisting of an enlarged gold "V".
- $\bullet$  Six cylinder 1955 model Corvettes are virtual duplicates of the 1954 models and still have the six-volt electrical system. The V-8 models have 12-volt systems.
- The V-B engine offered in the 1955 Corvette was a 265Cl modification of the Chevrolet passenger car engine introduced the same year. It is equipped with four-barrel carburetor, automatic choke and longer mufflers than previous six cylinder models. Horsepower was listed as 195.
- V-8 ignition shielding consists of chrome distributor and coil covers with balls, braided and grounded plug wires, and wire carners behind the anhaust manifolds.

- V-8 engines equipped with the heater option had a manual heater cutoff valve located along the inner fender, spliced into the upper heater hose.
- Vaive covers on the 1955 V-8 models are chrome plated with the Chevrolet script. They are held in place by four Phillips-head screens. The dis cylinder value covers are the same as 1954.
- Windshield wester activation in 1955 V-8 models is by floor padal with coordinator.
- Hardtops were not available from the factory for the 1955 model (or the 1953-54), but several aftermarket tops were marketed, some through Charmont dealers.

#### 1955 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
2934-6	Base Corvette Convertible—6 Cylinder	2774.00
2934-8	Base Corvette Convertible—8 Cylinder	2909.00
1000	Directional Signal, Polo White	16.75
100Å	Directional Signal, Pennant Blue	16.75
101A	Heater	91.40
102A	Signal Seeking AM Radio	145.15
2908	Whitewall Tires, 6.70x15	26.90
313M/N	Powerglide Automatic Transmission	178.35
420A	Parking Brake Alarm	5.65
421A	Courtesy Light	4.05
422A	Windshield Washer	11.85

- The base price of both the six and eight cylinder models included a manual three-speed transmission. The manual transmission was not available in early production, but some later V-B equipped models have the standard transmission. The combination of six-cylinder and manual transmission has never been verified and it is believed that no such Corvettes were ever built.
- The V-8 engine offered in 1955 was technically not an option. Corvettes so equipped were actually separate models.
- All the options listed were mandatory purchase items with either the six of eight cylinder models except for #101A (heater). #102A (radio). and 2908 (whitewall tires).

### 1955 COLORS

CODE	EXTERIOR	SOFT TOP	WHERLS	INTERIOR
None	Polo White	White/Beige	Red	Red
None	Harvest Gold	Dark Green	Yellow	Ye:low
None	Gypsy Red	Beige	Red	Lt Beige
None	Corvette Copper	White	Brosse	Dk Beige
None	Pennant Blue	Beige	Rud	Dix Beige

 The most confusing and controversal of all Corvette model years with regard to colors is 1955. Even though production was cut back to a mere 700 units, just how many colors were factory applied remains a mystery. The colors shown above are those indicated as being used for 1955 in GM maternal publishop in 1961.

### 1956 SERIAL NUMBERS

Body and Chassis: E565001001 through E565004467

Engine Suffix: FK: 210 HP. Automatic GV: 210 HP. Magual

GR: 225 HP. Manual GU: 240 HP. Manual

FG: 225 HP. Automatic

Block Casting: 3720991

Head Casting: min 210 HP and early 225 HP (2-bolt exhaust manifolds)

440 HP and late 225 HP (3-bolt exhaust manifolds)

Cistributor: 1110872, 1110879 (225, 240 HP) 1110866, 1110869,

1110878 (210 HP)

Generator: 1102043

Carburetors: Carter WCFB 2366S. 2366SA (210 HP)

Carter WCFB 24195 (front), 23625 (rear) (225 or 240 HP)

#### 1956 FACTS

- The 1956 Corvette was the first major Corvette body redesign. With the exception of the dash which remained basically intact, the 1956 was visually new. It was given roll-up windows with optional power assists, external door handles and locks, exposed headlights with chrome surround bezels (except very early models which were painted), and a new sculptured ade cove treatment.
- 1956 was the first year for a factory optional hardtop. The anodized heaver trum made it unique to the year. On some 1956's, the anodized trum is painted top color.
- The passenger seat in the 1956 model can be adjusted, the first Corvette with this feature.
- Seat belts were available for the first time in 1956. These were not factory options, but could be purchased through dealers as a kit. The beits were grey nylon with chrome-plated quick release buckles.
- The fresh air heater which heated outside "fresh" air (as opposed to drawing air from the car's interior and reheating it) was first used in the 1956 model. But very early production 1956 models still have the recirculating 1953-1955 type.
- The AM radio in the 1956 is transistorized, also a Corvette first. The station selector bar in 1956 models is plain. Models not equipped with a radio should have a special plate covering the dash mount location.
- All authentic 1956 engine valve covers have staggered hold-down holes and attach with Phillips head screws. The 210 HP engine has painted steel covers with the Coevrolet script. The 225 and 240 HP engines have 9-nb cast alloy COVOCS.

- The windshield washer reservoir for 1956 is a blue viryl bag.
- The 1956 Corvette was the first to come factory equipped with dual four-barrel carburators. The proper air cleaners are buffed aluminum and have a rousable cil-wetted filter element. With the dual-fours came a cast aluminum intake manifold.
- 1956 is the first year for the dual point distributors, standard with all but the base engines.
- 1956 came factory equipped with a higher output bettery (\$3 AMP hour) than the previous 12-volt system.

### 1956 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
	<u>-</u> : :	2900.00
2934	Base Corvette Convertible	115.00
101	Heater	
102	Signal Seeking AM Radio	185.00
107	Parking Brake Signal	5.00
	Courtery Lights	8.00
108	Courtesy Lights	11.00
109	Windshield Washer	30.00
290	Whitewall Tires, 6.70x15	
313	Powerglide Automatic Transmission	175.00
419	Auxiliary Hardtop	200.00
	Electric Power Windows	60.00
426	Count Hon Life Compail	175.00
449	Special High-Lift Camshaft	160.00
469	Dual Four Barrel Carburetor Equipment	100.00
473	Hydraulic Folding Top Mechanism	10070

- A 440 series of optional paint combinations permitted the cove area to be painted being or silver with specified exterior colors. The cost was \$18.00.
- The base price included a 265 CI, 210 HP V-8 engine with 4-barrel carburetion, a manually-operated soft top and a close ratio 3-speed manual transmission. The standard rear axie ratio with the manual transmission was 3.70:1. with a 3.27:1 optional. The optional automatic came with a 3.55:1 rear axis. Although not listed, heavy duty brakes may also have been available.

### 1956 COLORS

	-			
CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Onyx Black	Blk-W	Black	R
None	Aztec Copper	Boe-W	Copper	Bge
None	Cascade Green	W-Bge	Green	Bge
None	Arcuc Blue	W-Bge	Blue	R- <b>Bge</b>
None	Venetian Red	W-8ge	Red	R
None	Polo White	BIK-W	R-SII	

ABBREVIATIONS: BIK = Black, R = Red. Boe = Beige, W = White,

· At additional cost, fender cores areas could be factory painted in offsetting colors. Factory brochures list Silver coves for Onya Black, Arctic Blue and Polo White exteriors. Beige coves are specified for all other exteriors.



### **1957 SERIAL NUMBERS**

Body and Chassis: E57S100001 through E57S106339

Engine Suffix: EF: 220 HP. Manual FK: 250 HP. Automatic EG: 270 HP. Manual EL: 283 HP. Manual

FG: 245 HP. Automatic EN: 283 HP. Manual EM: 250 HP. Manual (w/air incale)

Block Casting: 3731548

Head Casting: mbs All 283 HP

All except 283 HP

Distributor: 1110891 (220, 245, 270 HP)

1110906 (250 HP. Automatic)

1110889, 1110905 (250, 283 HP Manual)

1110908 (283 Manual, Special HP with tach-drive)

Generator: 1102043 (standard tachometer drive)

1102059 (non-tach drive, special EN suffix engine)

Carturators: Carter WCFB 2366SA, 2655S (220 HP)

Carter WCFB 2626S (front), 2627S (rear) (245 HP) Carter WCFB 2613S (front), 2614S (rear) (270 HP)

Fuel Injection: 7014360 (early), 7014520, 7014800, 7014960

### **1957 FACTS**

- The 1957 model is the first to be factory equipped with fuel injection. In its hottest form, the 1957 Corvette fuel injected engine puts out 283 HP, one horsepower for each cubic inch of displacement. Records show that 1040 fuel injected 1957 Corvettes were built.
- The optional hardtop for the 1957 Corvette has stainless steel header trim.
- The optional AM radio in the 1957 Corvette is the same as the 1956 transistorized unit, except the selector has the word "Wonderbar".
- Authentic 1957 engine valve covers have staggered hold-down holes and attach with Phillips head scrows. The 220 HP engine has painted steel covers with the Chevrolet script. Optional engines use the 7 or 9-nb cast alloy covers.
- The high performance EN fuel injected engine has a tachometer mounted on the steering column and a cold air induction system. Chevrolet cautioned buyers in sales literature that this engine was not for "pleasure driving" and certain options, such as the heater, were not available when RPO 579E was ordered. The number of 579E 1957 Corvettes was 43.

• The 1957 body is a carry-over from 1956.

### 1957 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
2934	Base Corvette Convertible	
101	Heater	3176.32
102	Signal Seeking AM Radio	110.00
107	Parking Brake Alarm	185.00
108	Courtesy Lights	5.00
109	Windshield Washer	8.00
276	5-15x5.5" Wheels	11.00
290	Whitewall Tires, 6.70x15	14.00
313	Powergide Automatic Transmission	30.00
419	Auxiliary Hardtop	175.00
426	Power Windows	200.00
440	Additional Cove Color	<b>5</b> 5.60 18.00
469A	Optional 245 HP, 283 CI Engine (2x4 Carb)	140.00
<b>469B</b>	Optional 270 HP. 283 Ct Engine (244 Carb)	170.00
579A	Uphonal 250 HP 283 Cl Forms (final lail *	
579 <b>8</b>	Optional 283 HP, 283 CI Engine (Fuel Inj.)	450.00 450.00
579 <b>E</b>	Optional 283 HP 283 Cl Engine (Fuct Inj)	430.00 675.00
473	Power Operated Folding Tup Mechanism	
677	Positraction Axle, 3.70:1 Ratio	130.00
678	Positraction Axie, 4.11:1 Ratio	45.00 45.00
679	Positraction Axie, 4.56:1 Ratio	45.00 45.00
684	Heavy Duty Racing Suspension	725.00
685	4-Speed Transmission	175.00

- Fuel Injection is thought of as a mid-year option, being available somewhere after #E57S102000, but Rochester actually began slow manufacture of FI units in October, 1956, so it is possible that a few (very few) early '87 Corvettes were factory fuel injected.
- The four-speed transmission became available on May 1, 1957.
- RPO 276 includes small hubcaps in place of the standard full discs. The wider rims didn't have the "bumps" to retain the full wheel cover discs.

### 1957 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Onyx Black	BIK-W-BOS	Black	R-Bae
None	Aztec Copper	Boe-W	Copper	
None	Cascade Green	Bik-W-Bge	Greek	Bge Boo
None	Arctic Blue	Bik-W-Bge	Ske	Bge R-Bge
None	Venetian Red	Bik-W-Bge	Red	R-89e
None	Polo White	Bik-W-Boe	A-Su	R-Bge
None	Inca Silver	Bik-W	Silver	R-Boe
			-	N-25

ABBREVIATION: Bik = Black, R = Red, Bge = Beige, W = White, Sil = Silver • At additional cost, fender coves areas could be factory pointed in offsetting colors. Factory brochures list Silver coves for Onyst Black, Arctic filiue and Polo White exteriors. Beige coves are specified for all other exteriors except inca Silver which showed an optional white cove. But evidence suggests that all ince Silver 1957 models were solid silver.



### **1958 SERIAL NUMBERS**

Body and Chassis: J58S100001 through J58S109168

Engine Suffic: CQ: 230 HP, Manual CT: 245 HP, Manual

CR: 250 HP, Manual DH: 250 HP, Automatic

CU: 270 HP, Manual CS: 290 HP, Manual DJ: 245 HP, Automatic DG: 230 HP, Automatic

Block Casting: 3737739, 3756519 Head Casting: why All except 290 HP

290 HP

Distributor: 1110890 (230 HP)

1110891 (245, 270 HP) 1110915 (250, 275 HP)

1110914 (290 HP, tach drive)

Generator: 1102043 (standard tachometer drive)

1102050 (non-tach drive, 290 HP)

Carturators: Carter WCFB 2668S, 2669S, 3059S (230 HP)

Carter WCFB 2626S, 3181S (front-245 HP) Carter WCFB 2627S, 2362S (rear-245 HP) Carter WCFB 2613S, 3182S (front-270 HP)

Carter WCFB 26145 (mar-270 HP)

Fuel Injection: 7014900, 7014800, 7014960, 70149008

#### **1958 FACTS**

- The 283 Cl engine carried over to 1958, but horsepower in the strongest 1958 fuel injected engine was lifted to 290 HP. Just over 1000 of the 290 HP versions were built during the production year. About 500 of the mildcam 250 HP fuel engines were made. The most popular engine was the base 230 HP which accounted for nearly 50% of 1958 production.
- All carburated engines in 1958 were equipped with glass fuel filter bowls.
- Extensive restyling in 1958 included a new dash, new upholstery, new external fiberglass panels. The distinguishing features include dual headlights, a lowered hood and twin chrome trunk strips.
- ■The 1958 interior has a large 160 mph speedometer flanked by secondary instruments. The tachometer moved directly in front of the driver. A passenger grab bar is built into the right side of the dash. A central console and seat belts were standard equipment. The door panels are two piece.
- Correct carpeting for 1958 models is low-loop rayon pile.
- Authentic 1958 valve covers have staggered hold-down holes and attach with Phillips head screws. The 230 HP engine has painted steel covers with decal. Optional engines have covers which are 7-rib cast alloy with decals.

- 1958 bumpers are anchored directly to the frame through support braces in such a way as to provide substantially more protection than earlier years.
- 1958 is the first Corvette with a 9-teeth grill. Previous years have 13 teeth.
- 1958 was the year of the switch to acrylic lacquer finishes for the Corvette.
   Previous years were nitrecellulose lacquer, except for lace Silver which was also acrylic.

#### 1958 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
867	Base Corvette Convertible	3591.00
101	Heater	96.65
102	Signal Seeking AM Radio	144.45
107	Parlung Brake Alarm	5.40
109	Courtesy Lights	6.50
109	Windshield Washer	16.15
276	5 15x5.5" Wheels	NC
290	Whitewall Tires, 6.70x15	31.55
313	Powerglide Automatic Transmission	188.30
419	Auxiliary Hardtop	· 215.20
426	Electric Power Windows	59.20
440	Additional Cove Color	16.15
469	Optional 245 HP, 283 Cl Engine (2x4 Carb)	150.65
469C	Optional 270 HP, 283 Cl Engine (2x4 Cartil	182.95
579	Optional 250 HP, 283 CI Engine (Fuel Inj.)	484.20
<b>5790</b>	Optional 290 HP. 283 Ct Engine (Fuet In)	484.20
473	Power Operated Folding Top Mechanism	139.90
677	Positraction Axie, 3.70:1 Ratio	48.45
678	Postraction Axie, 4.11:1 Ratio	48.45
679	Positraction Axie, 4.56:1 Ratio	48.45
684	Heavy Duty Brakes and Suspension	780.10
685	4-Speed Transmission	215.20

- Automatic transmissions were not available with #469C or \$790.
- RPO 276 included small hubrags in place of the standard full discs. The wheels were painted body color.

#### **1958 COLORS**

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Charcoal	BIK-W	Silver	C-BG-R
None	Snowcrest White	BIK-W-BG	Silver	C-BG-R
None	Silver Blue	W-BG	Silver	C-AG
None	Regal Turquoise	BIK-W	Silver	Č
None	Panama Yellow	BIK-W	Silver	Č
None	Signet Red	Bik-W	Silver	Č-R
ARRE	VIATIONS: Bik - Riaci	O - Ded W -	White C - Chee	Mal .

BG = Blue-Green

 At additional cost, fender cove areas could be factory painted in offsetting colors. Factory brochures list loca Silver coves for Charcost, Seguicrest White and Silver Blue exteriors. Seguicrest White specified for all other colors.

### 1959 SERIAL NUMBERS

Body and Chassis: J59S100001 through J59S109670

Engine Suffix: CQ: 230 HP, Manual

CR: 250 HP. Manual DH: 250 HP. Automatic

CT: 245 HP. Manual CU: 270 HP. Manual

OJ: 245 HP. Automatic

CS: 290 HP, Manual

DG: 230 HP. Automatic

Block Casting: 3737739, 3756519

Head Casting: min All

Distributor: 1110946 (230 HP)

1110891 (245, 270 HP) 1110915 (250 HP)

1110914 (290 HP, tach drive)

Generator: 1101043 (standard tachometer drive)

1102059, 1102173 (290 HP, non-tach drive)

Carbureters: Carter WCFB 26695, 30595, 28185 (230 HP)

Carter WCFB 2626S, 3181S (front-245 HP) Carter WCFB 2627S, 2362S (rear-245 HP) Carter WCFB 2613S, 3182S (front-270 HP)

Carter WCFB 2614S (rear-270 HP)

Fuel Injection: 7017200, 7017250, 7017300, 7017320

### **1959 FACTS**

- Exterior 1959 styling is similar to 1958, but the 1959 does not have the hood ridges or the twin chrome trunk strips.
- Gauge lenses are concave (first year) in 1959 for easier reading. Also, the tach face was redesigned for easier reading.
- 1959 door panels were redesigned from the previous year by relocating the armrests for additional elbow room and by moving the door releases forward. Also, the 1959 door panel is one piece.
- 1959 is the first year for the "T" shifter handle with the reverse lockout to prevent accidental shifting into reverse.
- 1959 is the first year for the addition of the storage bin under the passenger grab bar. The grab bar itself is more heavily padded than the previews year.
- The seat uphoistery material for 1959 models is smoother than the previous year and, for the first time in the Corvette's history, a black interior was available.
- The windshield washer reservoir (optional) on the 1959 model mounts on the left side for base engines and on the right side for all optional engines.
   Right side mountings are protected by heat shields.

 In late 1959, valve covers changed from staggered holes to straight across holes. The base engine has painted steel covers with decals. The optional engines have 7-rib cast alloy covers with decals. All attach with Philips head screws.

### 1959 OPTIONS

ORDER 4	DESCRIPTION	RETAIL S
<b>8</b> 67	Base Corvette Convertible	
-	Additional Cove Color	3675.C3
101	Heater	16.15
102	Signal Seeking AM Radio	102.25
107	Parking Brake Alarm	149.80
108	Courtesy Light	5.40
109	Windshield Washers	6.50
261	Sunshades	16.15
276	5 15x5.5" Wheels	10.80
290	Whitewall Tires, 6.70x15	AC
313	Powerglide Automatic Transmission	31.55
419	Authory Hardton	199.10
426	Electric Power Windows	236.75
469	Optional 245 HP. 283 Cl Engile (2x4 Carb)	59.20
469C	UKINDAL CIU HP 283 CI FANDA 1244 CASA	150.65
579	UDUGAAL 250 HP 283 CI Faces (F) (a.)	182.95
5790	Upulonal 2500 MP 283 CL Ferros (Fruit Isi)	484.20
473	Power Operated Folding Top Mechanism	484.20
675	Positraction Axie. Optional Ratio	139.90
684	Heavy Duty Brakes and Suspension	48.45
685	4-Speed Transmission	425.05
686	Metalic Brakes	188.30
<ul> <li>Automati</li> </ul>	f francoustions when and a state	26.90

Automatic transmissions were not available with #469C or 5790.

• RPO 276 included small hubcaps in place of the standard full dass. The wheels were painted body color.

Base price of car included choice of hard or soft top.

• 1959 is the first year of sunshade availability.

### 1959 COLORS

CODE None None None None	EXTERIOR Tuxedo Black Classic Cream Frost Blue Crown Sapphire	SOFT TOP Bik-W Bik-W W-Biu W-Tur	WHEELS Black Black Black	INTERIOR Bik-Blu-A Bik Blu-A
None None None ABBREV	Roman Red Snowcrest White Inca Silver	Bik-W Bik-W-T-Biu Bik-W	Black Biack Black Black	T Bik-A <b>S</b> ik-Bi <b>u-T-A</b> Liik-A

ABBREVIATIONS: Bik = Black, R = Red. W = White, Biu = Blue
T = Turnunise

 At additional cost, fender cove areas could be factory painted in offsetting colors. Factory brochures list Inca Silver coves for Tusedo Black and Snowcrest White exteriors. Snowcrest White coves are specified for all either colors.



### 1960 SERIAL NUMBERS

Body and Chassis: 00867S100001 through 00867S110261

Engine Suffix: CQ: 230 HP, Manual CT: 245 HP. Manual CU: 270 HP. Manual CS: 315 HP. Manual

DG: 230 HP. Automatic CY: 275 HP. Manual (Alum, heads) CZ: 315 HP. Magual (Alum, heads)

CR: 275 HP. Manual DJ: 245 HP. Automatic

Block Casting: 3737739.:3756519 Head Casting: mam All except 315 HP **△**315 HP

Distributor: 1110946 (230 HP)

1110891 (245, 270 HP) 1110915 (275 HP)

1110914 (315 HP, tach drive)

Generator: 1102043 (standard tachometer drive)

1102173 (315 HP. non-tach drive)

Carburators: Carter WCFB 2669S, 3059S, 2818S (230 HP)

Carter WCFB 2626S, 3181S, 2419 (front-245 HP) Carter WCFB 2627S, 2362S (rear-245 HP)

Carter WCFB 2613S, 3182S (front-270 HP) Carrier WCFB 2614S (rear-270 HP)

Fuel Injection: 7017310, 7017200, 7017320, 7017250

### **1960 FACTS**

• The 1960 was also the first year for the availability of cast aluminum heads. These were cast to the new fuel injection head design, but production quality problems associated with the casting of high silicone aluminum led to the withdrawal of the special heads from the market early in 1960.

• 1960 was the first year of availability for the aluminum radiator. It's 1960 use was limited to the high-lift cam engines.

 Because of increased horsepower ratings, only manual transmissions could be combined with the 1960 fuel injected engines. Previously, the milder fuel engines could be purchased with automatics.

• The base 1960 engine has painted steel valve covers with decals. Optional engines have the 7-rib cast alloy covers. All covers have straight across mounting holes and all attach with Phillips head screws.

• The windshield washer reservoir (optional) on the 1960 model mounts on the left side for base engines and on the right side for all optional engines. Right ade mountings are protected by heat shields.

### 1960 OPTIONS

ORDER	DESCRIPTION	
867	Base Corvette Convertible	RETAIL \$
_	Additional Cove Color	3872.00
101	Heater	16.15
102	Signal Seeking AM Radio	102.25
107	Parking Brake Alarm	137.75
108	Courtesy Light	5.40
109	Windshield Washers	6.50
121	Temperature Controlled Radiator Fan	16.15
261	Sunshades	21.55
276	5 15x5.5" Wheels	10.80
290	Whitewall Tires, 6.70x15, 4-ply	nc
313	Powerglide Automatic Transmission	31.55
419	Auxiliary Hardtop	199.10
426	Electric Power Windows	236.75
469	U000001 245 HP 283 Ct Coston (2.4 C	59.20
469C		150.65
579		182.95
5790		484.20
473	TOTAL CONTINUE FORMANT TON MARCHANIST	484.20
675		139.90
685	4-30cod Iransmission	43.05
686	Metallic Brakes	188.30
687	Heavy Duty Brakes and Guernanian	26.90
1408	J G ALE I D NIVING TIME	<b>3</b> 33.60
1625A	24 Gallon Fuel Tank	15.75
Automat	tio temperature	161.40

Automatic transmissions were not available with #469C, 579 or 5790.

### RPO 276 included small hubcage in place of the standard full clacs.

### 1960 COLORS

CODE EXTERIOR  None Tuxedo Black  None Tasco Turquoise  None Horizon Blue  None Honduras Marooe  None Roman Red  None Ermine White  None Sateen Silver  None Cascade Green  ABBREVIATIONS: Blk = Black.	SOFT TOP BIK-W-BIU BIK-W-BIU BIK-W-BIU BIK-W-BIU BIK-W-BIU BIK-W-BIU BIK-W-BIU	WHEELS As Body As Body As Body As Body As Body As Body As Body	INTERIOR BIK-BIK-T BIK-T BIK-BIK-R BIK-R BIK-BIK-T-R BIK-BIK-T-R
---	--	---	--

T - Turquoise

 At additional cost, fender cove areas could be factory painted in offsetting colors, Factory brochures list Sation Silver coves for Tunego Black and Ermine White exteriors. Ermine White coves are specified for all other colors.

Soft top color availability may have changed during the 1960 model year.

The 1960 Cascada Green was metallic and differed from the color of the same



### **1961 SERIAL NUMBERS**

Body and Chaesis: 10867S100001 through 10867S110939

Engine Suffix: CQ: 230 HP, Manual CR: 275 HP, Manual CT: 245 HP, Manual DJ: 245 HP, Automatic CU: 270 HP, Manual DG: 230 HP, Automatic

CS: 315 HP. Manual

Block Casting: 3756519

Head Casting: mine All except 275 and 315 HP

275 and 315 HP

Distributor: 1111500, 1110946 (230 HP)

1110891 (245, 270 HP) 1110915 (275 HP)

1110914 (315 HP, tach drive)

Generator: 1102043 (standard tachometer drive) 1102173, 1102268(315 HP, non-tach drive)

Carburetors: Carter WCFB 2669S, 3059S, 28185 (230 HP)

Carter WCFB 2626S, 3181S, 2419S (front-245 HP)

Carter WCF8 2627S, 2362S (rear-245 HP) Carter WCF8 2613S, 3182S (front-270 HP)

Carter WCF8 26145 (rear-270 HP)

Fuel Injection: 7017310, 7017200, 7017320, 7017250

### **1961 FACTS**

- The aluminum radiator became standard in the 1961 model. Most had separate expansion tanks, but some had tanks built into the top of the radiator.
- Though not a complete styling revision from the previous year, the 1961 model incorporated several visual differences. It is the first Corvette built without heavy "teeth" in the grill, replacing them with mesh. The forward headlight bezels are body color. The rear end for 1961 is the first to feature four failights.
- Sometime during 1961 production, the round side-mount radiator expansion tanks began to be used.
- Interior styling for the 196) model is similar to previous years, but more from was created by reducing the width of the transmission tunnel by 20%.
- 1961 is the first year to feature exhausts that exit below the body. All
  previous years exit through the body or through the bumpers.
- 1961 is the last Corvette with optional "wide white" tires.

- The base 1961 engine has painted steel valve covers with decals. Optional engines have the 7-rip cast alloy covers. All covers have straight acress mounting holes and all attach with Phillips head screws.
- The windshield washer reservoir (standard) on the 1961 model mounts on the left side for carbureted and on the right side for finil lejected engines.
   Right side mountings are protected by heat shields.
- 1961 is the first Corvette act to have a round nose embled.

### 1961 OPTIONS


ORDER #	DESCRIPTION	RETAIL \$
867	Base Corvette Convertible	3934.00
	Additional Core Color	16.15
101	Heater	102.25
102	Signal Seeking AM Radio	137.75
276	5 15x5.5' Wheek	nc nc
290	Whitewall Tires, 6.70x15	31.55
313	Powerglide Automatic Transmission	199.10
419	Auxiliary Hardtop	236.75
426	Electric Power Windows	59.20
441	Direct Flow Exhaust System	NC .
469	Optional 245 HP, 283 CL Engine (2x4 Carb)	150.65
468	Optional 270 HP, 283 CI Engine (2x4 Carts)	182.95
353	Optional 275 HP, 283 Cl Engine (Fuel Inj.)	484.20
354	Optional 315 HP, 283 Cl Engine (Fuel Inj)	484.20
473	Power Operated Folding Top Mechanism	161.49
675	Positraction Axle, Optional Page	43.05
685	4-Speed Transmission	188.30
686	Metallic Brakes	37.70
687	Heavy Duty Brakes and Suspension	333.60
1408	5 6.70x15 Nylon Tires	15.75
1625	24 Gallon Fuel Tank	161.40

- Automatic transmissions were not available with #468, 353 or 354.
- RPO 276 included small hubcaps in place of the standard full discs.
- Windshield washers, courtesy lights, sun shades, temperature controlled radiator fan, and parking brake werning light all became standard equipment.

### 1961 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Tuxedo Black	Bik-W	As Body	BIK-R-F-BL
None	Ermine White	BIK-W	As Body	Dik-R-F-AL
None	Roman Red	BIK-W	As Body	Bik-R
None	Sateen Silver	Bik-W	As Body	BIK-R-MA
None	Jewel Blue	BIK-W	As Body	Bik-Blu
None	Fawn Baige	BIK-W	As Body	DIK-R-F
None	Honduras Maroon	Blk-W	As Body	BM-F
ABBRE	/IATIONS: Bik - Black.	R = Red. W =		e, F = Fava

 At additional cost, fender cove areas could be factory painted in differing colors. Factory brochures list Sateen Silver coves for Tureso Black and Ermine White exteriors. Ermine White coves are specified for all either colors.



### **1962 SERIAL NUMBERS**

Body and Chassis: 20867S100001 through 20867S114531

Engine Suffix: RC: 250 HP. Manual RF: 360 HP. Manual

RD: 300 HP, Manual SC: 250 HP, Automatic RE: 340 HP, Manual SD: 300 HP, Automatic

Block Casting: 3782870 Need Casting: who 250 HP

All except 250 HP

Distributor: 1110984 (250, 300 HP)

1110985 (340 HP)

1110990, 1111011 (360 HP)

Generator: 1102268 (360 HP and others early)

1102174 (all carburetors except early)

Carbureter: Carter WCFB 31915 (250 HP)

Carter AF8 32695 (300, 340 HP)

Fuel Injection: 7017355, 7017360, 7017365, 7017370

#### **1962 FACTS**

- 1962 was the first year for the 327 Cl engine lineup. The base engine has a
  horsepower rating of 250. The dual four-barrel carburetor engines available
  in Corvettes since 1956 were no longer available in 1962. Instead, large AFB
  carburetors were used for fuel feed in optional engines other than fuel
  inacted.
- 1962 styling was similar to 1961, but some significant visual changes were made. Most apparent is the change in the design of the side cove area. Previously, the cove was outlined in chrome. In the 1962, it is simply outlined by a lip which is part of the moided fiberglass fender and door shapes. Because of the absence of the chrome outline, coves were no longer available in colors contrasting the body color.
- 1962 is the last Corvette with an external trunk opening.
- All 1962 engines use distributor drive tachometers. The only tach-drive distributors previously used for a Corvette V-8 was on the solid lifter fuel injected engine.
- 1982 is the first narrow whitewall Corvette, using whitewalls which measure between %" and 1".
- 1962 is the first Corvette to feature an aluminum transmission case for the Powerglide automatic.
- The 1962 model is the last to feature exposed headights.
- ◆ The 1962 model is the last Corvette with a solid rear axie.

- The 250 and 300 HP engines in 1962 use painted steel valve covers with decals. 340 and 360 HP engines use 7-fm cast alloy covers with decals.
- The windshield washer reservoir on the 1962 model mounts on the left side for all engines except fuel injected. Fuel injected engines have reservoirs mounted on the right side. Right side mountings are protected by heat shades.
- 1962 tailights should have protector cones at the inside trusk surface.
- Early 1962 Curvette rocker panel moldings have no paint between the ribs.
   Later 1962 models have black paint between the ribs.

### 1962 OPTIONS

ORDER #	DESCRIPTION	RETAILS
867	Base Corvette Convertible	4038.00
102	Signal Seeking AM Fladio	137.75
276	5 15x5.5" Wheels	137.73
313	Powerglide Automatic Transmission	199.10
419	Auxiliary Hardton	236.75
426	Electric Power Windows	
441	Direct Flow Exhaust System	56.20
	Direct From Extractor System	nc
473	Power Operated Folding Top Mechanism	139.90
488	24 Gallon Fuel Tank	118.40
583	Optional 300 HP, 327 Cl Engine	53.80
396	Optional 340 HP, 327 CI Engine	107.60
582	Optional 360 HP, 327 Cl Engine (Fuel Ini)	484.20
675	Positraction Rear Axle	43.05
685	4-Speed Transmission	188.30
686	Metallic Brakes	37.70
687	Heavy Duty Brakes and Suspension	
1832	Whitewall Tires, 6.70x15	333.60
	MINISMAN INES, O. VIII 13	31.55
1833	Nylon Tires, 6.70x15	15.70

- Automatic transmissions were not available with RPO 396 or RPO 502.
- RPO 276 included small hubcaps in place of the standard full discs.
- · Heater was standard on all but export models.

#### **1962 COLORS**


CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Tuxedo Black	Bik-W	Bik	Suk-R-F
None	Fawn Beige	BIK-W	Bik-Boe	R-F
None	Roman Red	Bik-W	BIK-R	Buk-R-F
None	Ermine White	BIK-W	B#k-W	BIK-R-F
None	Almond Beige	Bik-W	B:k-Bge	R-F
None	Sateen Silver	Blk-W	BIK-SiĪ	BM-R
None	Honduras Maroon	BIL-W	Blk-Mar	Bist-F

ABBREVIATIONS: Bik = Black, R = Red, W = White, F = Faust, Sit = Silver

All 1962 Corvettes factory approved with wintervall tyres had when

 All 1962 Corvettes factory equipped with wintewall tires had whoes painted black. Those equipped with blackwall tires or 8/0 276 had wheels painted body color.





#### **1963 SERIAL NUMBERS**

Body and Chaesis: 30867S100001 through 30867S121513 (For coupes, first 5 digits are: 30837)

Engine Suffix: RC: 250 HP, Manual RF: 360 HP, Manual

RD: 300 HP, Manual SC: 250 HP, Automatic RE: 340 HP, Manual SD: 300 HP, Automatic

Block Casting: 3782870 Head Casting: min 250 HP

All except 250 HP

Distributor: 1111024 (250, 300, 340 HP)

1111022 (360 HP)

Carbureter: Carter WCFB 3501S, 3500S (250 HP)

Carter AFB 3460S, 3461S (300, 340 HP)

Fuel Injection: 7017375

### **1963 FACTS**

- 1963 is the only year for the "split window" coupe body style. For visibility reasons, the split was removed from the rear window of the 1964.
- The instruments in the 1963 are unique to the year. They have black faces with deep aluminum faush recesses.
- The 1963 model is the first year for knock-off aluminum wheels. The wheels were finished with bright center cones and unpainted rib sections. Both two and three prong hubs were offered. Some enthusiasts believe the wheels were "over the counter" only in 1963 and not factory installed.
- The 1963 door is unique to the 1963-1967 series in that it has both a stainless steel molding forward of the vent window and raised "pads" for the exterior door handles. All but late 1964's had the pads, but not the molding.
- The 1963 model is the only one of the 1963-1967 series with an adjustable bottom seat angle mechanism built in.
- Early 1963 models have storage wells under the seats, but the feature was removed at about the middle of production.
- Most 1963 models have fiberglass headight buckets. A few 1963 models and all of the 1964-1967 Corvettes have metal buckets.
- The glove box door in the 1963 is fiberglass. Later models are metal.
- The face plate on the glove box door of 1963 Corvettes is covered with clear plastic, Later years are not.
- Two gas filter doors were used during 1963. Early cars have a pin and guide mechanism while later models and all 1964-1967 models have a simple bleon and slide catch.

### 1963 OPTIONS

	,	
ORDER #	DESCRIPTION	RETAIL \$
837	Base Corvette Sport Coupe	4257.00
867	Base Corvette Convertible	4037.00
898	Genuine Leather Seat Trim	80.7C
941	Sebring Silver Exterior Paint	80.70
A01	Soft Ray Tinted Glass, All Windows	16.15
<b>S0A</b>	Soft Ray Tinted Glass, Windshield Only	10.80
1EA	Electric Power Windows	59.20
C07	Auxiliary Hardtop (for roadster)	236.75
C48	Heater and Defroster Deletion (credit)	-100.00
C60	Air Conditioning	421.60
C81	Positraction Rear Axie, All Ratios	43.05
G91	Special Highway 3.08:1 Axis (not positraction)	2.20
J50	Power Brakes	43.05
J6 <b>5</b>	Sintered Metallic Brakes (power)	37.70
L75	Optional 300 HP, 327 Cl Engine	53.80
L76	Optional 340 HP, 327 Cl Engine	107.60
L84	Optional 360 HP, 327 CI Engine (Fuel Ini)	430.40
M20	4-Speed Transmission	188.30
M35	Powerglide Automatic Transmission	199.10
NO3	36 Gallon Fuel Tank (coupe only)	202.30
NI I	Off Fload Exhaust System	37.70
N34	Woodgrained Plastic Steering Wheel	16.15
N40	Power Steering	75.35
P48	Special Cast Aluminum Knock-Off Wheels	322.80
P91	Blackwall Nylon Tires, 6.70x15, 4-ph	15.70
P92	Whitewall Rayon Tires, 6.70x15, 4-ph	31.55
T86	Back-Up Lamps	10.80
U65	Signal Seeking AM Radio (early)	137.75
U69	AM-FM Radio	17435
<b>Z</b> 06	Special Performance Equipment for Coupe (early)	181845

- RPO 898 leather seat trim available in saddle only.
- Powerylide transmissions not available with RPO L76 or L84
- RPO 206 available in coupes only early in production; coupes or roadsters late in production. Late option cost of \$1,293.95 excluded KO wheels and 36 gallon tank.
- RPO NO3 available only in coupe.

### **1963 COLORS**

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
900	Tuxedo Black	Pik-W-Bge	Bik	Bik-R-S
936	Ermine White	Bik-W-Bae	Btk	MK-H-S-DA
923	Riverside Rad	Blk-W-Bge	Bik	DIK-A-S
912	Silver Blue	51k-W-Bge	Bik	Bik-DB
916	Doytona Blue	Blk-W-Bge	BIK	R-S-DB
932	Sadoja Tan	BIK-17-308	Hik	Bk-R-S
941	Sebrido Silver	Bik-Mt-Dos		RH.L.C.NA

ABBREVIATIONS: Fik = Black, R= Red, W= White, S= Saddle, DB= Qark Blue. Box = Boxe



Bedy and Chaesis: 408675100001 through 408675122229 (For coupes, first \$ digits are: 40837)

Engine Suffix: RC: 250 HP, Manual
RD: 300 HP, Manual
RE: 365 HP, Manual
RE: 365 HP, Manual
RE: 375 HP, Manual
RF: 375 HP, Manual
RP: 250 HP, Manual/AC
RX: 375 HP, Manual/T-ign
SC: 250 HP, Automatic
SD: 300 HP, Automatic

RQ: 300 HP, Manual/AC SK: 250 HP, Automatic/AC RR: 365 HP, Manual/AC SL: 300 HP, Automatic/AC

Block Casting: 3782870 Head Casting: mbu 250 HP

All except 250 HP

Distributor: 1111024 (250, 300 HP) 1111063 (375 HP) 1111062, 1111069 (365 HP) 1111064 (375 HP, T-Ign)

1111060 (365 HP, T-lgn)

Carburetor: Carter WCFB 3501S, 3500S, (250 HP)

Carter AFB 37205, 3721\$ (300 HP) Holly R2818A (365 HP)

Fuel Injection: 7017375R, 7017380

### **1964 FACTS**

- 1964 styling is very similar to 1963. Changes include replacement of the divided rear window in coupes with a single window, removal of the hood trim panels (the depressions in the hood remained, but not the recesses for the trim panels, making the 1964 hood unique to the wear).
- 1964 instruments are similar to 1963 except that the center recess areas are black in the 1964 model.
- The seats in the 1964 Corvette are unique to the year. They are similar to the 1963, but have no built-in rake adjusting mechanism for the lower cushion and they are broader at the top of the back cushion.
- The 1964 optional knock-off wheels are the same as the 1963 model, with bright center cones and unpainted rib sections, but only the three prong Mock-off hub was available in 1964.
- The steering wheel in the 1964 model is walnut grain plastic.
- A fan was added to the rear area of the 1964 coupes to assist with the ventilation problem common to 1963 models. The operating switch for the three-speed fan is located under the driver side dash. The external openings for the vent are located on the side of the roof, between the door and rear window. The driver's side is functional. The passenger side is not.

### 1964 OPTIONS

	ORDER #	DESCRIPTION ;	RETAIL \$
	837	Base Corvette Sport Coupe	4252.00
	867	Base Corvette Convertible	4037.00
		Genuine Leather Seat Trim	80.70
_	A01	Soft Ray Tinted Glass, All Windows	16.15
7	A02	Soft Ray Tinted Glass, Windshield Only	10.80
•	A31	Electric Power Windows	59.20
١	C07	Auxiliary Hardtop (for roadster)	236.75
)	C48	Heater and Defroster Deletion (credit)	-100.00
•	C60	Air Conditioning	421.80
	F40	Special Frunt and Rear Suspension	37.70
	G81	Positraction Rear Axle, All Ratios	43.05
	C91	Special Highway 3.06:1 Axie	2.20
	J50	Power Brakes	43.05
	J56	Special Sintered Metallic Brake Package	629.50
	J65	Sintered Metallic Brakes (power)	53.80
	K66	Transistor Ignition System	75.35
	L75	Optional 300 HP, 327 CT Engine	53.83
	L76	Optional 365 HP, 327 Ct Engine	107.60
	L84	Optional 375 HP, 327 CI Engine (Fuel Ini)	538.00
	MS0	4-Speed Transmission	185.30
	M35	Powerglide Automatic Transmission	.109.10
	NO3	36 Gailon Fuel Tank (coupe only)	202.30
	N11	Off Road Exhaust System	37.70
	N40	Power Steering	75.35
	P48	Special Cast Aluminum Knock-Off Wheels	322.80
	P91	Blackwall Nylon Tires, 6.70x15	15.70
	P92	Whitewall Rayon Tires, 6.70x15	31.85
	T86	Back Up Lamps	10.80
	U69	AM-FM Radio	176.50

- RPO-J56 and RPO-F40 available only with 375 HP, 4-speed transmission and positraction axie.
- Powerglide transmissions not available with L76 or L84.
- Air conditioning not available with L84.
- Transistor ignition not available with L75 or base engine.
- N1 1 not available with base engine or automatic.

# **1964 COLORS**

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
900	Tuxedo Black	Bik-W-Boe	Black	BIA-R-SI-W
936	Ermine White	Blk-W-Bge	Black	BIK-R-DB-S-S4-W
923	Riverside Rad	Bik-W-Bae	Black	BK-R-W
940	Satin Silver	Bik-W-Boe	Black	Bik-R-DB-Sil-W
912	Silver Blue	Bik-W-Bge	Black	Hk-DB-W
916	Daytona Blue	BIK-W-Boe	Black	DB-Sil-W
932	Saddle Tan	Bik-W-Bge	Black	S-W

ABBREVIATIONS: Bix = Black, R = Red, W = White, S = Saddle, DB = Dark Sive, Box = Seige, Sil = Saber



Body and Chassis: 194675S100001 through 194675S123562 (For coupes, first 6 doots are: 104378)

_	AL SEA TO CONTEX MAY BO	MUS 240- 1043761
Engine Suffici	HE: 250 HP, Manual HF: 300 HP, Manual HG: 375 HP, Manual HH: 365 HP, Manual HI: 250 HP, Manual/AC HJ: 300 HP, Manual/AC HK: 365 HP, Manual/AC HL: 365 HP, Manual/T-Ign HM: 365 HP, Manual/T-Ign/AC HN: 375 HP, Manual/T-Ign	HO: 250 HP. Automatic HP: 300 HP. Automatic HQ: 250 HP. Automatic/AC HR: 300 HP. Automatic/AC HT: 350 HP. Manuai HU: 350 HP. Manuai/AC HV: 350 HP. Manuai/T-Ign

Block Casting: 3782870 (327 CI) 3355962 (396 CI)

Head Casting: And All 327 CI

Distributor: 1111076 (250, 300 HP) 1111070 (375 HP)

1111087 (350 HP) 1111064 (375 HP, T-lgn) 1111093 (425 HP)

1111024 (365 HP)

Carbureter: Carter WCFB 3696S, 3697S (250 HP) Carter AFB 3720SA, 3721SA (300 HP) Holley R2B18A (350, 365 HP)

Holley R3124A (425 HP)

Fuel Injection: 7017380

# **1965 FACTS**

• 1965 styling is similar to the previous two years, but with several significant differences. The side front fender louvers were redesigned in 1965 and made functional. The 1965 standard hood has no depressions and no trim. The 1965 grill is a horizontal bar as before, but the center bars are black and only the outer trim ring is bright (unique to the year).

• 1965 instruments are flat black, flat-face aircraft type. The dash area surrounding the radio and speaker bezel areas is a painted surface, rather than vinyl covered as previous two years. (Very early 1963 cars also had

• 1965 is the first year for Corvette disc brake availability. The system is four-wheel disc, with four-piston caliper assemblies at each wheel. Although disc brakes were standard on the 1965 model and included in the base price, drum brakes could be ordered as a delete cost option in early 1965 as long as a topic was also as a long as a topic was a factory.

• 1965 was the last year for the availability of fuel injection.

# 1965 OPTIONS

	Order #	DESCRIPTION	DCTALL A
	19437	Base Corvette Sports Coupe	RETAIL
	19467	Base Corvette Convertible	4321.00
		Genuine Leather Seat Trim	4106.00
	A01	Soft Ray Tinted Glass, All Windows	80.70
	SOA	Soft Ray Tinted Glass, Windshield Only	16.15
	<b>131</b>	Electric Power Windows	10.80
	CO7	Auxiliary Hardtop (for roadsters)	59.20
	C48	Heater and Defroster Deletion (credit)	236.79
•	C60	Air Conditioning	-100.00
	F40	Special Front and Rear Suspension	421.80
	<b>581</b>	Positraction Rear Axie. All Ratios	37.70
(	<b>591</b>	Special Highway 3.08:1 Axie	43.05
j	150	Power Brakes	2.20
L	161	Drum Brake Substitution (credit)	43.65
	(66	Transistor Ignition System	-64.50
L	.75	Optional 300 HP, 327 CI Engine	75.35
L	76	Optional 365 HP, 327 CI Engine	53.80
L	78	Optional 425 HP, 396 CI Engine	129.15
L	79	Optional 350 HP 327 CI Engine	292.70
Ĺ	84	Optional 375 HP, 327 CI Engine (Fuel Inj.)	107.60
M	120	4-Speed Transmission	<b>5</b> 38.00
M	122	4-Speed Close Batto Teans Man	188.30
M	135	4-Speed Close Hatio Trans, Heavy Duty	236.95
	03	Powerglide Automatic Transmission	199.10
	11	36 Gailon Fuel Tank (coupe only) Off Road Exhaust System	202.30
	14	Side Mount Exhaust System	37.70
	32	Side Mount Exhaust System	134.50
	36	Teakwood Steering Whoel	48.45
	40	Telescopic Steering Column Power Steering	43.05
	48	Special Care Aliminion Maria	96.85
	<u> </u>	Special Cast Aluminum Knock-Off Wheels	322.80
T		Whitewall Tires, 7.75x15 (rayon cord)	31.85
	59	Goldwall Tires, 7.75x15 (hylon cord) AM-FM Radio	50.05
Z		Rackyo Lamos and to the same	203.40
	•	Backup Lamps and Inside Day/Night Mirror	16.15
•	NPU 140 a	Wallable only with LB4/1.78 A-most transmission	

 RPO F40 available only with L84/L78. 4-speed transmission and postraction axle.

# 1965 COLORS

	CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
•	AA	Tuxedo Black			
	CC .	Ermine White	Blk-W-Bge	Black	(BIK-R-BIU-S)
	FF	PARTITION AND STATES	Bik-W-Bge	Black	SH-W-G-M
		Nassau Blue	BIK-W-BOR	Black	/an.m.n.m
	GG	Glen Green	Blk-W-Sge		Dik-Bu-W
	MM	Milano Margon		Black	BIK-S-W-G
	QQ		Blk-W-Bge	Alack	B.K-S-W-M
		Silver Pearl	BIK-W-Bge	Віаск	alk-R-Sa
	w	Rally Red 😘	Blk-W-Bge	Black	
	XX	Coldword Yellow	Bill W Dan		BIK-A-W
	ABSDOW	ATIONS: Rik - Risch	Bik-W-Bge	Mack	Dik-W
	ADDINEV	AND MARKET HIS IN THE RESERVE	D - Dad 114 14		

Bgu = Beige, Sii = Silver, M = Margon, G = Gener

### 1966 SERIAL NUMBERS

Body and Chassis: 194676S100001 through 194676S127720 (For coupes, first 6 digits are: 194376)

HE: Manual (327)
HH: A.I.R. (327)
HR: Automatic/A.I.R. (327)
HD: SHP/A.I.R. (327)
HO: Automatic (327)
HO: Automatic (327)
HO: SHP/A.I.R. (327)
HO: Automatic (327)
HO: SHP/A.I.R. (327)
HO: Automatic (327)

HT: SHP (327) IQ: Automatic (427) HP: Power Steering (327) IR: Automatic/A.I.R. (427)

A.I.R. = Air Injector Reactor (California), HP = High Performance, SHP = Special High Performance, AC = Air Conditioning

Distributor: 1111117 (300 HP) 1111141, 1111142 (390 HP) 1111156 (350 HP) 1111093 (425 HP)

Block Casting: 3858174 (Most 327 CI) 3860042 (All 427 CI) 3892657 (Late 327 CI)

Head Casting: And All 327 Cl

Carbureter: Holley R3367A, R3416A (300, 350 HP) Holley R3370A, R3433A (300 HP) Holley R3247A (425 HP)

# **1966 FACTS**

- The 1966 model Corvette has very similar styling to the 1965 model. The differences are mainly trim, including the addition of the Corvette script (vertical style) to the hood and a new plated, square mesh style grill.
- The seats in 1966 models are the same as 1965 except that there are additional pleats in the upper and lower sections for better weight distribution along the seams.
- The 1966 optional knock-off wheels are similar to the design of previous years, but the center cone is a dull finish rather than bright. The area between the fins is painted a dark grey.
- 1966 is the first year for the 427 CI engine. Models equipped with this engine have a special hood.
- The exhaust bezels of the 1966 model are chrome plated alloy. Previous Sung Ray models are stainless steel.
- $\bullet$  The fake and functional roof vents of previous years were completely eliminated on the 1966 coupe models.
- The fiberboard headkners of previous years were replaced with vinyl covered foam in 1966 coupes.
- 1966 was the first year of availability for factory headrests (optional).

### 1966 OPTIONS

ORDER #	DESCRIPTION ;	RETAIL \$
19437	Base Corvette Sport Coupe	
19467	Base Corvette Convertible	4295,00 <b>40</b> 84,00
	Genuine Leather Seats	79.00
A01	Soft Ray Tinted Glass, All Windows	15.80
<b>A02</b>	Soft Ray Tinted Glass, Windshield Only	10.55
<b>15A</b>	Electric Power Windows	<b>5</b> 9.20
A82	Headrests	42.15
A85	Shoulder Harness	26.35
C07	Auxiliary Hardtop (for roadster)	231.75
C48	Heater and Defroster Deletion (credit)	-97.85
C60	Air Conditioning	412.90
F41	Special Front and Rear Suspension	36.90
G81	Positraction Rear Axie, All Ratios	42.15
J50	Power Brakes	43.05
J56	Special Heavy Duty Brakes	342.30
K66	Transistor Ignition System	73.75
L36	Optional 390 HP, 427 Engine	181.20
L72	Optional 425 HP, 427 Cl Engine	312.85
L79	Optional 350 HP. 327 CI Escure	105.35
M20	4-Speed Transmission	184.30
M21	4-Speed Close Ratio Transmission	184.30
M22	4-Speed Close Ratio Trans., Heavy Duty	237.00
M35	Powerglide Automatic Transmission	194.85
NO3	36 Gallon Fuel Tank	198.05
N11	Off Road Exhaust System	36.90
N14	Side Mount Exhaust System	131.65
N32	Teakwood Steering Whee!	48.45
N36	Telescopic Steering Column	42.15
N40	Power Steering	94.80
P48	Special Cast Aluminum Knock-Off Wheels	326.00
P92	Whitewall Tires, 7.75x15 (rayon cord)	31.30
TO1	COLOWER TIPES, 7.75x15 (autoe cond)	46.55
U69	AM-FM Hadio	190.10
V74	Traffic Hazard Lamp Switch	11.60
40000	Al and	11-00

# 1966 COLORS

100	D COLUMN			
CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
900	Tuxedo Black	Bik-W-Bae	Black	/ BIK-R-88-WA
972	Ermine White	Bik-W-Bge	Black	(Sil-S-G-Blu
976	Nassau Blue	BIK-W-Bas	Black	Bik-BB-WB-Bu
982	Mosport Green	BIK-W-BOR	Black	Bik-G
988	Milano Maroon	BIK-W-Bge	Black	BIK-S
986	Silver Pearl	Bik-W-Bge	Black	Bik-Sa
974	Rally Red	BIK-W-Bge	Black	Bik-R
984	Sunfire Yellow	Blk-W-8ge	Black	Alk
978	Laguna Blue	Blk-W-Bge	Black	
980	Trophy Blue	Blk-W-Boe	Black	Bik-BB-Bts

ABBREVIATIONS: Bik = Black, R = Red, W = White, S = Sandle, Bis = Bise, BB = Bright Blue, WB = White-Bise, Box = Baice.

Sil = Silver, G = Grane



Body and Chassis: 194677S100001 through 194677S122940 (For coupes, first 6 digits are: 194377)

Engine Suffix: HE: Manual (327) IT: Heavy Duty (427) HH: A.I.R. (327) NJ: Aluminum Heads (427) HR: Automatic/A.I.R. (327) IM: A.I.R. (427) HD: SHP/A.I.R. (327) JF: A.J.R./Tri-Carb (427) HO: Automatic (327) JH: A.I.R./AH (427) HT: SHP (327) 10: Automatic (427) HP: Power Steering, AC (327)JD: Automatic/Tri-Carb (427) KH: SHP/AC/A.LR. (327)

IR: A.I.R./Automatic (427) IL: Manual/Automatic (427) JG: A.I.R./Auto/Tri-Carb (427) JC: Tri-Carb (427) JA: A.L.R./SHP/Tri-Carb (427) JE: SHP/Tri-Carb (427)

A.I.R. = Air Injector Reactor (California), HP = High Performance, SHP = Special High Performance, AC = Air Conditioning, AH = Aluminum Heads Distributor: 1111117, 1111194 (300 HP)

1111240 (430 HP) 1111196, 1111157 (350 HP) 1111258 (435 HP) 1111247, 1111294 (390, 400 HP)

Block Casting: 3892657 (300, 350 HP) 3904351 (435 HP-L71/L89)

3869942 (390, 400 HP) Carburetor: Holley R3810A, R3814A (300, 350 HP)

Holley R3811A, R3815A (390 HP) Holley R3660A, R3659A (400, 435 HP)

Holley R3888A, R3650A, R3418A (430, 400 HP/Automatic)

Head Casting: Bull All 327 Cl

# **1967 FACTS**

- The 1967 model has similar styling to earlier Sting Rays, but is devoid of much extenor trim. Emblems were removed from the standard hood and fenders. Fender vents continued functional, but were restyled as five angled slot vents, replacing the earlier three.
- The interior of the 1967 model was revamped with new seats. The parking brake handle was moved between the seats, the first year not located under the dash. Inner door panels are similar, but the lock buttons are located further forward and an attaching screw was added at the rear.
- Due to safety regulations, the knock-off wheel option was no longer available. For 1967, this option changed to a bolt-on style, cast alloy wheel. A central cap concealed the lug nuts.
- The standard wheel in 1967 was the rally wheel, the first time Corvettes came factory equipped with other than a single wheel cover assembly. Also, the wheel width for 1967 increased from 5%" to 6".

# 1967 OPTIONS

	order #	DESCRIPTION	BETAN
	19437	Base Corvette Sport Course	RETAIL
	19467	5858 Corvette Convertible	\$4386.7
	_	Genuine Leather Seats	<b>434</b> 0.7
	A01	Soft Ray Tinted Glass, All Windows	79.0
	<b>SOA</b>	SOIT HAY I WAS GIRES WINGSHAM OF L	15.8
	N31	CHECKLE LONGL MEGOWE	10.5
	182	Maadrests	57.9
	<b>V85</b>	Shoulder Beits (coupe only)	42.1
	:07 :08	AUXINALY MAROLOO (for coarts; ec)	26.3
		AND COMBUNE TO AUXILIAN MASSING	231.7
	<b>48</b> 60	rivoler dita Derrograf Deletine (conde)	52.7( -97.85
	41	AN CURDINGING	412.90
	50	Special Front and Rear Suspension	36.50
	56	LOMEL BLYKER	42.15
	66	Special Heavy Duty Brakes	342.30
	36	Transistor Ignition System	73.79
	68	Optional 390 HP, 427 CI Engine	200.15
	71	Optional 400 HP, 427 CI Engine	305.50
	 79	Optional 435 HP, 427 CI Engine	437.10
	38	Optional 350 HP 327 CI Engine	105.35
	99	Optional 430 HP. 427 CI Engine	947.50
	20	Aluminum Cylinder Heads for L71 4-Speed Transmission	368.65
	ŽĬ	4-Speed Close Page Town	184.35
	<b>2</b> 2	4-Speed Close Ratio Transmission	184.35
	35	4-Speed Close Ratio Trans., Heavy Duty	237.00
NO	33	Powerglide Automatic Transmission 36 Gallon Fuel Tank (coupe only)	194.35
N	l Î	Off Road Exhaust System	198.05
NI	14 .	Side Mount Exhaust System	36.90
N3	36	Telescopic Steering Column	131.65
N4		Power Steering	42.15
N8		Special Cast Aluminum Bolt-On Wheels	94.80
<b>P9</b>	2	Whitewall Tires, 7.75x15	263.30
QB		Redline Tires. 7.75x15	31.35
UI	a a	Speed Warning Indicator	46.65
U6	9	AM-FM Radio	10.55
40	67 66		172.75

900 972 980 977 976 983 974 986 984 \$68	EXTERIOR Tusedo Black Ermine White Elikhart Blue Lynindale Blue Marina Blue Goodwood Green Raily Red Sulver Pearl Sunfire Yellow Mariboro Maroon	SOFT TOP BIK-W-TB BIK-W-TB BIK-W-TB BIK-W-TB BIK-W-TB BIK-W-TB BIK-W-TB BIK-W-TB	WHEELS Silver Silver Silver Silver Silver Silver Silver Silver	INTERIOR (BM-R-58-) W-TB-G BM-TB BM-W-TB BM-SB-W-G DM-S-W-G BM-TB BM-1V
1000		ikk-W-TB	Silver	Ni-W

ABBREVIATIONS: BIK = Black, R = Red, S = Saddle, G = Green, TB = TealBlue, 88 - Bright Sive, W - White/Black & Whate/Sive

#### **1968 SERIAL NUMBERS**

Body and Chassis: 194678S400001 through 194678S428S66 (For coupes, first 6 digits are 194378)

Engine Suffix: HE: Manual (327) IM: HP/Tri-Carb (427) HO: Automatic (327) 10: HP/Auto/Tri-Carb (427) HP: Power Steering/AC (327) 10: Automatic (427) HT: SHP (327) IR: SHP/Tri-Carb (427) IL: HP (427) IT: Heavy Duty

IU: SHP/Tri-Carb/AH (427)

SHP = Special High Performance, HP = High Performance, AH = AluHeads.

#### **1968 FACTS**

- The 1968 Corvette features a completely new exterior and interior. The wheelbase is the same as previous Sung Rays, and the chassis components remain much the same. For the first time, the coupe model features removable roof panels and a removable mar window.
- · Stylists kept the hidden headight treatment on the 1968 model, but the units in the 1968 model "pop up" rather than revolve into position. Also, the 1968 units are vacuum operated, replacing the electrical systems of previous
- The 1968 interior has considerably less room than previous years, and the seats are set at much more severe rake angles creating a semi-reclining seating position. A light monitoring system was standard and utilized fiber optics to display functioning lights on a central console panel.
- The wheel run width for 1968 was increased from 6° to 7°. An increase again the following year to 8" makes the 1968 the only year with "T rims.
- · Engineers moved the battery from the engine compartment to a new stowage area behind the seats in 1968. The change was made because of the difficulty of reaching the battery in previous years in the engine area, but an advantage was realized in slightly better front to rear weight distribution.
- 1968 is the first year for use of the 3-speed automatic, the Turbohydramatic.
- 1968 models have unique door opening mechanisms. This year has a finger decression plate and a door button, in later years, the button was eliminated and the opening was activated by the depression plate.
- The windshield wipers of the 1968 model are hidden under a vacuum operated panel, a styling feature that proved to be somewhat troublesome in
- 1968 is the first year for elimination of side vent windows in the Corvette.
- 1968 is the last Corvette to have the ignition switch on the dash.

# **1968 OPTIONS**

ORDER #	DESCRIPTION .	RETAIL &
19437	Base Corvette Sport Coupe	
19467	Pase Corvette Convertible	4663.00
_	Genuine Leather Seat Trim	4320.00
A01	Soft Ray Tinted Glass, All Windows	79.00
A31	Electric Power Windows	15.80
<b>88</b> 2	Head Restraints	57.95
A85	Custom Shoulder Belts	42.15
C07	Auxiliary Hardtop (for roadster)	26.35
C08	Vinyl Covering For Auxiliary Hardton	231.75
C50	Rear Window Defroster	52.70
C60	Air Conditioning	31.60
F41	Special Front and Rear Suspension	412.90
C81	Positraction Rear Axle, All Ratios	36.90
J50	Power Brakes	46.35 42.15
J56	Heavy Duty Brakes	384.45
K66	Transistor Innition System	73.75
136	Optional 390 HP, 427 CI Engine	200.15
168	Optional 400 HP, 427 CL Engine	305.50
L71	Optional 435 HP, 427 Ct Engine	437.10
L79	Optional 350 HP, 327 Ct Engine	105.35
188	Optional 435 HP, 427 Ct Engine	947.90
L71/89	Optional 435 HP, 427 CL Engine	805.75
M20	4-Speed Transmission	184.35
M21	4-Speed Close Ratio Transmission	184.35
M22	4-Speed Close Ratio Trans, Heavy Duty	263.30
M40	TUTDO HYDRAMATIC AUTOMATIC Transmission	226.45
NII	Off Moad Exhaust System	36.90
N36	Telescopic Steering Column	42.15
N40	Power Steering	94.80
POI	Bright Metal Wheel Cover	57.95
PT6	Red Stripe Nylon Tires, F70x15	31.30
PT7	White Stripe Hylon Tires, F70x15	31.30
UA6	Alarm bysiem	26.35
U15	Speed Warning Indicator	10.55
U69/U79	AM-FM Radio / AM-FM Stereo Radio	172.75/278.10
	***************************************	· · · · · · · · · · · · · · · · · · ·

196	8 COLORS			
CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
900	Tuxedo black	Blk-W-Bae	Silver	BIK-A-MB-DB
972	Polar White	Bik-W-Bge	Silver	(DO-Tob-Gun
992	Corvette Bronze	Blk-W-Bge	Sitver	BIA-DO-Tob
976	LeMans Blue	8lk-W-Bge	Silver	BIK-MB-DA
978	International Blue	Blk-W-Bge	Silver	BH-MB-DB
988	Cordovan Margon	BIK-W-Bge	Silver	Alk
974 986	Rally Red	Bik-W-Bge	Silver	8tk-R
963	Silverstone Silver	BIK-W-Bge	Silver	BIK-D&GM
984	British Green Safari Vallow	Bik-W-Bje	Silver	Bik
			C. A	

ABBREVIATIONS: Bik = Black. R = Red. MB = Medium Blue.

DB = Dark Blue, DO = Dark Orange, Tob = Tobacco. Gun - Gunmetal, W - White, Box - Seige.

#### **1969 SERIAL NUMBERS**

Body and Chassis: 194679\$700001 through 194679\$738762 (For coups, first 6 digits are: 194379)

, , , , , , , , , , , , , , , , , , ,	
Engine Suffix: HW: HP (350	LP: Aluminum Heads (427)
HX: HP/AC (350)	LQ: Tri-Carb/HP (427)
HY: Manual (350)	LR: Tri-Carts/SHP (427)
HZ: Automatic (350)	LT: Tri-Carb/SHP/HDC (427)
LL: Automatic (427)	LU: Alum Heads/HDC (427)
LM: HP (427)	LV: HD/Automatic (427)
LN: HP/Trl-Carb/Auto (427)	LW: Alum Heads, Auto (427)
LO: Heavy Duty (427)	LX: Tn-Carb/SHP/Auto (427
110 11 10 1	

HP = High Performance, AC = Air Conditioning, SHP = Special High Performance, HDC = Heavy Duby Clutch.

#### **1969 FACTS**

- The 1969 Corvette body is very close in styling to the 1968 model. One
  apparent external change is the addition of the "Stingray" script above the
  front fender side louvers. The 1968 model was devoid of any side trim
  identification or markinos.
- The outside door handle was changed on the 1969 model to the type used for several following years. The door opening mechanism was incorporated into what was strictly a finger depression grip in the 1968. The depression button used in 1968 was eliminated entirely and replaced with a near-flush key lock.
- 1969 is the first year for use of the 350 CI engine. This replaced the 327 CI engine line which had been used since 1962. These were not "all-new" engines, but simply the new generation of small block V-8 Chevy engines derived from the original V-8 introduced in 1955. External appearance is very similar to previous small blocks.
- 1969 is the first year for use of 8" wide wheel rims.
- In 1969, stylists incorporated the back-up lights into the inboard tailiamps.
   This was a return to the system used in 1966. A single lamp above the license was used in 1967. In 1968, the lamps were under the bumpers.
- 1969 is the first Corvette to feature the steering column ignition lock. The system was designed to be an anti-theft device. It locked the steering shaft in place when the key was removed and made "hot starting" more difficult.
- The steering wheel in the 1969 model was reduced in diameter from 16° to 15°.
- Map packets were added to the passenger side dash area in 1969.
- 1960 is the first year for use of the headlight washer system.

#### 1969 OPTIONS

ORDER #	DESCRIPTION ;	RETAIL S
19437	Base Corvette Sport Coupe	\$4780.95
19467	Base Corvette Convertable	4437.95
	Genuine Leather Seat Trim	79.00
A01	Soft Ray Tinted Glass, All Mindows	16.90
A31	Electric Power Windows	63.20
A85	Custom Shoulder Belts	42.15
CO7	Auxiliary Hardtop (for roadster)	252.80
C08	Vinyl Covering for Auxiliary Hardton	57.95
C50	Rear Window Defroster	32.65
C60	Air Conditioning	428.70
F41	Special Front and Ruar Suspension	36.90
-	Positraction Rear Axle, All Antine	46.35
J50	Power Brakes	42.15
K05	Engine Block Heater	10.55
K66	Transistor Ignition System	81.10
136	Optional 390 HP. 427 Cl Engine	221.20
146	Optional 350 HP, 350 Cl Engine	131.65
L68	Optional 400 HP, 427 Cl Engine	326.55
L71	Optional 435 HP. 427 Cl Engine	437.10
L89	Optional 435 HP. 427 CI Engine	832.05
M2O	4-Speed Transmission	184.80
M2 I	4-Speed Close Ratio Transmission	184.80
M22	4-Speed Close Ratio Trans., Heavy Duty	290.40
M40	Turbo Hydramatic Automatic Transmission	221.80
N14 .	Side Mount Exhaust System	147.45
N37	Tilt-Telescopic Steering Column	84.30
N40	Power Steering	105.35
P02	Wheel Covers "	57.95
PT6	Red Stripe Nyion Tires, F70x15	31.30
PT7	White Stripe Nylon Tires, F70x15	31.30
SLT	Front Fender Lower Trim	21.10
UA6	Alarm System	26.35
U15	Speed Warning Indicator	11.60
U69/U79	AM-FM Radio/AM-FM Starso Radio	17245/27610

### **1969 COLORS**

COOE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
900	Tuxedo Black	Bik-W-Bge	Silver	BIK-BB-G-R-Gua-S
972	Can-Am White	Blk-W-Bge	Silver	BIK-BB-G-R-Gua-S
974	Monza Red	Blk-W-Bge	Silver	Bik-R-S
976	LeMans Blue	Blk-W-Bge	Silver	Bik-BA
990	Monaco Orange	Blk-W-Bge	Silver	Blk
983	Fathom Green	Blk-W-Bge	Silver	8k-G-S
984	Daytona Yellow	Bik-W-Bge	Silver	Bik
986	Cartez Silver	Blk-W-Bge	Silver	Dik-BB-G-R-Gua-S
988	Burgundy	Bik-W-Bae	Silver	Bik-S
960	Riverside Gold	Blk-W-Bge	Silver	

ABBREVIATIONS: Bik = Black, R = Red, BB = Bright Bive. G = Green, S = Saddie. Gun = Gunmetal, W = White, Box = Beau

# 1970 SERIAL NUMBERS

Body and Chancis: 194670S400001 through 194670S417316 (For coupes, first 6 digits are 194370)

Engine Suffix: CTL: Manual (350)
CTM: Automatic (350)
CTN: HP (350)
CTO: HP/AC (350)
CTO: HP/AC (350)
CTP: HP/T-Ign (350)
CTP: HP/T-Ign (350)
CZU: HP (454)
CZU: HD (454)

CTO: HP/T-Ign/AC (350) CZN: HD/Auto (454) CRI: HP/T-Ign (454)

HP = High Performance, T-Ign = Transistor Ignition, AC = Air Conditioning, SHP = Special High Performance, HD = Heavy Duty.

### **1970 FACTS**

- The body of the 1970 model Corvette was considerably updated. Fiberglass side budy shapes were altered to create fender flares behind the wheels to minimize damage to the body by debris thrown by the wheels, a problem common to 1968 and 1969 models. A new style side fender lower replaced the four vertical slots of the previous two years.
- The 1970 model was given a new square mesh grill with the amber turn signals mounted at the extreme corners of the grill. New exhaust exits were also designed for the 1970 model, being square in shape to replace the round exits of all previous years.
- The interior of the 1970 features subtle refinements. The seats were redesigned for additional headroom and for easier release for access to the storage area. The shoulder belt retractor containers were redesigned and relocated for a bit of additional storage room behind the seats.
- In 1970, tinted glass, 4-speed transmission (or automatic) and positraction became standard equipment.
- The 427 CI engine was increased in size to 454 CI for the 1970 model. The small block remained at 350 CI, but a new engine was added to the lineup, a solid lifter small block with the now immortal designation of ET-1. This was the first solid lifter Corvette small block available since 1965. For the 1970 model, Chevrolet announced a strong new 454 CI engine with an aluminum block, the ES-7. Although the engines were built and sold to racing enterprises, and most option sheets list the engine's availability, none were ever installed in production Corvettes. The horsepower rating was 460, and the projected cost in the neighborhood of \$3000.00.
- Because of its late introduction in February, 1970, the 1970 model Corvette had the lowest production since 1962. Only 17,316 1970 models were made.

### 1970 OPTIONS

ORDER #	255000000000000000000000000000000000000	
		RETAIL \$
19437	Base Corvette Sport Coupe	5192.00
19467	Mase Corvette Conversités	4849.00
A31	Custom Interior Trim	158.00
A85	Electric Power Windows	63.20
	Custom Shoulder Belts	42.15
C07	Auxiliary Hardtop (for roadster)	202 00
C08	VINYI COVERING FOR Auxiliary Mantena	273.85
C50	LANCE AND COM DELECTOR	63.20
C60	Air Conditioning	36.90
450	Positracijon Axle, Optional Ratio	447.65
J50	POWER BLAKES	12.65
146	Optional 350 HP, 350 Cl Engine	47.40
LS5	OPUGNAL 390 HP 454 CL FANA	158.00
<u>157</u>	UPCIONAL 460 HP 454 CL FRANCE	280,65
LT1	UPUONALE TO HP 350 CL FORM	447.00
M21	9-20000 Close Natio Transmission	447.60
M22	TOPEG CIOSE Hatin Trans Hazas Dun.	nc on
M40	TWO UU TIVUI MIIMIN MIITOMMIN Tenneminin	95.00
N37	THE TERESCOPIC SECRETION COLUMN	nc nc
N40	rower Steering	84.30
<u>PO1</u>	Custom Wheel Covers	105.35
PT7	White Stripe Nylon Tires, F70x15	57.95
PU9	White Letter Nylon Times 620-18	31.30
T60	FICAVY LULIV Martanu	33.15
UA6	Alarm System	15.80
U69	AM-FM Radio	31.60
U79	AM-FM Stereo Radio	172.75
		270.10

- \*The LS7 engine was never installed in production Corvettes. The projected cost was approximately \$3000.00.
- Option list does not include additional items available as dealer installed accessories.

# 1970 COLORS

CODE 26 27 44 15 77 62 72 14	EXTERIOR  Mulsanne Blue Bridgehampton Blue Donnybrooke Green Laguna Gray Mariboro Maroon Ontario Orange Monza Red Cortez Silver Classic White	SOFT TOP BIK-W BIK-W BIK-W BIK-W BIK-W BIK-W BIK-W BIK-W	WHEELS Silver Silver Silver Silver Silver Silver Silver	INTERIOR BIK-BIU BIK-BU-B-G-S BIK-BU-B-G-R-S BIK-BU-B-S BIK-BU-B-S BIK-BU-B-S BIK-BU-B-S
51	Daytona Yellow	BIK-W	Silver	Blk-Bu-BrG-B-S

ABBREVIATIONS: ôlk = Black, Blu = Blue, Br = Brown, R = Flad G = Green, S = Saddle, W = White

Only Black and Saddle were available in leather.

# 1971 SERIAL NUMBERS

Body and Chaesis: 1946715100001 through 1946715121801 (For coupes, first 6 digits are 194371)

Engine Sulfin: C.M.: 270 HP, 350 Cl, 4-Speed Transmission CGT: 270 HP, 350 Cl, Turbohydramatic 400 CGZ: 330 HP, 350 Cl, 4-Speed Transmission CGY: 330 HP, 350 Cl, HD 4-Speed Transmission CPJ: 365 HP, 454 Cl, Turbohydramatic 400 CPH: 365 HP, 454 Cl, 4-Speed Transmission CPW: 425 HP, 454 Cl, Turbohydramatic 400 CPX: 425 HP, 454 Cl, Turbohydramatic 400

# **1971 FACTS**

e The 1971 is almost a duplicate of the 1970 model. These two Corvette years are the most similar since the 1956-57 and 1959-60 models. Two reasons are generally given for the lack of change. First, the 1970 model was introduced almost five months late, as a result of a decision to extend 1969 production which itself was delayed initially due to labor disputes. Because of the short 1970 model run, GM management apparently felt that an extensive 1971 model change was unnecessary. The second reason often cited is that a GM mandate to its divisions to reduce octane requirements for the 1971 models kept engineers too busy to worry about appearance changes.

The 1971 was the last Corvette model to have the fiber-optics light monitoring system. This was dropped to offset the cost of the anti-theft alarm system made standard for the 1972 model.

• The 1971 engines available were variations of the 350 Cl and 454 Cl engines of the previous year. The 1970 to 1971 transition was the first really major horsepower drop across-the-board due to emissions considerations. This occurred due to the GM mandated reduction of octane requirements to 91 Research Octane for the eventual switch to no-lead fuels. Although the no-lead was required for catalytic converters which were not to appear on Corvettes until 1975, GM made the switch early to allow fuel companies to start marketing their low and no-lead fuels.

 Aluminum heads were available in the LS-6, an expensive successor to the never available-for-street-use LS-7, 454 CI engine.

• In 1971, a ZR1 factory racing option was available. It included the LT-1 engine, HD 4-speed, HD power brakes, aluminum radiator, special springs and shocks, special front stabilizer, and rear wheel spindle strut shafts. A ZR1 could not be ordered with power windows, power steering, air conditioning, rear window defroster, wheel covers or radio.

# 1971 OPTIONS

!		or i inwa	
:	ORDER (	DESCRIPTION	<b>D</b>
	19437	Base Corvette Sport Coupe	RETAIL \$
:	19467	Base Corvette Convertible	5496.00
į		Custom Interior Trim	\$259.00
•	A3!	Electric Power Windows	158 00
	A85	Custom Shoulder Belts	79.00
	C07	Auxiliary Hardtop (for roadster)	42.00
	C08	Vinyl Covering for Auxiliary Hardton	274.00
•	C50	Rear Window Defroster	63.00
	C60	Air Conditioning	42.00
	•	Positraction Axie, Optional Flatio	459.00
	J50	Power Brakes	13.00
	LSS	Optional 365 HP 454 Cl Engine	47.00
	LS6	Optional 425 HP, 454 CI Engine	295.00
	LTI	Optional 330 HP 350 CI Engine	1221.00
	ZRI	Optional 330 HP, 350 CI Engine	483.00
	ZR2	Optional 425 HP. 454 CI Engine	1010.00
	M21	4-Speed Close Ratio Transmission	1747.00
	M22	4-Speed Close Ratio Trans., Heavy Duty	nc .
	M40	Turbo Hydramatic Automatic Transmission	100.00
	N37	Tilt-Telescopic Steering Column	nc ·
	N40	Power Steering	84.30
	PO2	Wheel Covers	115.90
	PT7	White Stripe Nylon Tires, F70x15	63.60
	PU9	White Lettered Nylon Tires. F70x15	28.00
	T60	INCOME DATE OF THE PROPERTY OF	42.00
	U69	AM-FM Radio	15.80
	U79	AM-FM Stereo Radio	178.00
	• The cost of	the M40 Automous Tour	283.00

The cost of the M40 Automatic Transmission with available high performance engines was \$100.00.

# 1971 COLORS

CODE	EVTERIOR			
976 979 983	EXTERIOR  Mulsanne Blue Bridgehampton Blue Brands Hatch Green	SOFT TOP BIK-W BIK-W BIK-W	WHEELS Silver Silver	INTERIOR BIK-DB BIK-DB
988 987 973 905	Steel Cities Gray Ontario Orange Mille Miglia Red Nevada Silver	Bik-W Bik-W Bik-W	Silver Silver Silver Silver	Bik-DG Bik-S Bik DG-S Bik-A
972 912 989	Classic White Sunflower Yellow War Bonnet Yellow	Bik-W Bik-W Bik-W Bik-W	Silver Silver Silver Silver	Blik-DB-DG-R Blik-DB-DG-R-S Blik-DG-S

ABBREVIATIONS: Bik = Black, DB = Dark Blue, S = Saddle, DG = Dark Green, W = White, A = Red

Some 1971 models may have two-digit paint codes in order as above: 26, 27,
 48, 98, 97, 76, 13, 10, 52, 91.

· Only Black and Saddle were available in leather.



Body and Chassis: 1Z67K2S500001 through 1Z67K2S527004

• 3rd and 4th digits are 37 for coupes

• 5th digit veries as follows: K = Base

L = LT-1 Y = 454 CI

Engine Suffix: CKW: 4-Spd (350)

CDH: 4-Spd/NB2 (350)

CKX: Auto (350)

CDJ: Auto/NB2 (350)

CCM: 4-Spd/LT-1/AR (350)

CPH: 4-Spd (454)

CPJ: Auto (454)

CSR: AR (454)

CKY: 4-Spd/LT-1 (350)

CSS: AR (454)

Auto = Turbohydramauc, HD = Heavy Duty, AR = Air Injector Reactor, HB2 = California Emissions.

CKZ: HD 4-Sod/LT-1 (350)

# **1972 FACTS**

- The 1972 model Corvette is externally very similar to the previous two
  model years. Although not unique in many respects, the 1972 model desigability stems from the fact that it marked the end of era for several Corvette
  design features.
- The 1972 Corvette is the last Corvette coupe to feature a removable rear window.
- The 1972 Corvette is the last to feature an egg crate grill.
- The 1972 Corvette is the last to feature side fender grills, though later models have functional fender vents.
- Significantly, the 1972 model is the last Corvette to have chrome protection at both front and rear, marking the end of a Corvette tradition.
- 1972 was the last year of availability for the LT-1 engine, a solid lifter small block.
- 1972 is the only year that the LT-1 could be factory ordered with air conditioning, and this was for only four months of production. The production quantity most often cited is 286. Chevrolet rarely offered air conditioning with solid lifter engines, since the higher revolutions attainable with mechanical valve lifters tends to spin air conditioning belts off their pulleys. Prior to 1972, the last Corvette available with the combination of solid lifter engine and air conditioning was the 1965 model equipped with the 365 HP engine.
- The 1972 model was the first Corvette to have the anti-theft alarm system as standard equipment.

# 1972 OPTIONS

ORDER #	DESCRIPTION		BETAIL A
19437	Base Corvette Sport Coupe		RETAIL
19467	Base Corvette Convertible		5533.00
-	Custom Interior Trim		\$296.00
A31	Electric Power Windows		158.00
A85	Custom Shoulder Belts		85.35
C07	Auritra Hadre Mana		26.35
COB	Auxiliary Hardtop (for roadster)	4	273.85
C50	Vinyi Roof Covering For Auxiliary Hardton		158.00
C60	Rear Window Defroster		42.15
	Air Conditioning		464.50
 J50	Positraction Axle, Optional Ratio		12.65
	Power Brakes		47.40
LSS	Optional 270 HP, 454 CI Engine		294.90
LTI	Optional 255 HP, 350 CI Engine		483.45
ZRI	Upponal 255 HP 350 Ct From		1010.65
M21	4-Speed Close Ratio Transmissing		
M40	IUIDO HVIJAMALIK Transmissina		nc
N37	Tilt-Telescopic Steering Column		nr 0.430
N40	Power Steering		84.30
PO2	Custom Wheel Covers		115.90
PT7	White Stripe Nylon Tires, F70x15		63.20
PU9	White Lettered Nylon Tires, F70x15		30.35
T60	Heavy Duty Battery		43.65
U69	AM-FM Radio		15.80
U79	AM-FM Stereo Radio		178.00
	two the series reads		283.35

 The cost of the M40 Automatic Transmission with available high performance engines was \$97.00.

LT-1/air cars came with a 5600 RPM tachometer. Normally, the LT-1 had a 6500 RPM tach, but the lower red line served to remind owners of air cars that the drive belts wouldn't sustain the higher reve without slipping off pulicys:

# **1972 COLORS**

	a corona			
CODE 945 979 988 946 987 973 924 972 912	EXTERIOR Bryar Blue Targa Blue Targa Blue Steel Cities Gray Elkhart Green Ontario Orange Mille Miglia Red Priwter Silver Classic White Sunflower Yellow	SOFT TOP BIK-W BIK-W BIK-W BIK-W BIK-W BIK-W BIK-W BIK-W BIK-W	WHEELS Silver Silver Silver Silver Silver Silver Silver	INTERIOR BIK-BL BIK-R-S BIK-S BIK-S BIK-S BIK-S BIK-R-S BIK-R-S BIK-BL-R-S BIK-BL-R-S
989	War Bonnet Yellow	Bik-W	Silver Silver	Bik-S Bik-S

ABBREVIATIONS: Bik = Black, Blu = Blue, W = White, R = Red, S = Saddle

- Only Black and Saddle were available in leatner.
- Seat and shoulder beits matched interior except for the blue interior which got dark blue beits.

# 1973 SERIAL NUMBERS

Body and Chasis: 1267.135400001 through 1267.135438464

• 3rd and 4th digits are 37 for coupes

• 5th digit veries as follows: J = Base

T = 1.82Y = 454

Engine Suffix: CKZ: L48/4-Spd (350) CLA: L48/Auto (350)

CLD: LB2/Auto (350) CLH: LB2/Auto/NB2 (350)

CLR: L82/4-Spd (350) CLR: L48/4-Spd/N82 (350) CLC: L48/Auto/N82 (350)

CWS: LS4/Auto/NB2 (454) CWT: LS4/4-Spd/NB2 (454) CWM: LS4/4-Spd/NB2 (454)

CLS: L82/4-Spd/NR2 (350) CWR: LS

CWM: LS4/4-Spd (454) CWR: LS4/Auto (454)

Auto = Turbohydramatic, NB2 = California Emissions

# **1973 FACTS**

• 1973 is the first model Corvette to have bumper systems designed to meet federal 5 mph standards. The 1973 rear was the same as 1972, but the front was redesigned with a body color bumper which added 35 lbs of weight, but which could survive 5 mph impacts without damage to the light or safety equipment.

 Noise reduction had a major impact on the design considerations of the 1973 model. For the first time since 1956, a solid lifter engine was no longer available in the Corvette. Sound deadening material was sprayed on many inner panels and new deadening pad was installed under the hood to muffle engine noise.

 The LT-1 engine was removed from the option list in 1973 and replaced by the L-82, a hydraulic lifter engine.

 $\bullet$  The inner doors of the 1973 model have steel beams for greater side impact protection.

 New chassis mounts were designed for the 1973 model to better isolate road chatter and vibration. The new mounts are rubber with steel sleeves.
 The rubber gives vertical cushioning while the steel maintains side motion stability.

 A new coolant recovery system was designed for the 1973 Corvette which permitted high temperature overflow coolant to be captured and returned to the radiator after cooling.

The 1973 Corvette coupe was the first since 1967 to have a rear window which could not be removed. When this feature was removed, an additional two inches of luggage space height was gained since the tray for storing the window was also removed.

### 1973 OPTIONS

ORDER #	DESCRIPTION	BETAIL A
17237	Base Corvette Sport Coupe	RETAIL \$
1YZ67	Base Corvette Convertible	5561.50
	Custom Interior Trim	\$398.50
A31	Electric Power Windows	154.00
A85	Custom Shoulder Belts	83.00
C07	Auxiliary Hardtop (for roadster)	41.00
COB	Vinyl Roof Covering for Auditory Harden	267.00
C50	Rear Window Defresser	62.00
C60	Air Conditioning	41.00
	Positraction Axle, Optional Ratio	452.00
<i>.</i> 150	Power Brakes	12.00
182	Optional 250 HP. 350 CI Engine	46.00
LS4	Optional 275 HP. 454 CI Engine	299.00
M21	4-Speed Close Ratio Transmission	250.00
M40	Turbo Hydramatic Automatic Transmission	nc
N37	Tilt-Telescopic Steering Column	nc
N40	Power Steering	82.00
P02	Custom Wheel Covers	113.00
QRM	White Stripe Steel Beltod Radial Tires, GR70x15	62.00
QRZ	White Letter Steel Belled Radial Tires, GR70x15	32.00
T60	Hoavy Duty Battery	45.00
U58	AM-FM Stereo Radio	15.00
U69	AM-FM Radio	276.00
UFI	Map Light	173.00
YJ8	Cast Aluminum Wheels	5.00
207	Off Road Succession and Barbar David	175.00
	Off Road Suspension and Brake Package	369.00
- HE 130 L	CHE SEUTIDIUM Without noting	

• The YJB Cast Aluminum Wheel option was not actually available during 1973. Very early in production, Chevrolet rejected the wheels for quality reasons (they had been supplied by a California vendor) and recalled the wheels that had been released. Rumors place the number of wheels produced at 800 sets, and some of these are still at large.

# 1973 COLORS

CODE	CALCONO			
	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
922	Medium Blue	BIK-W	Silver	
927	Dark Blue	Bik-W		BIK-MB-AIS
945	Blue-Green		Silver	BIK-MB-DR-MS
947		Blk-W	Silver	BIK-DR-DS-MS
980	Elkhart Green	Bik-W	Silver	BIK-MS
	Orange	Blk-W	Silver	BUK-MS
976	Mille Miglia Red	Bik-W	Silver	
914	Silver	Bik-W		BIK-MS-DR-DS-MS
910	Classic White		Silver	BIK-MB-DR-DS-MS
952	Yellov.	Blk-W	Silver	BAK-MB-DR-DS-MS
953		Blk-W	Silver	BIK-MB-OS
<b>3</b> 33	Yellow (Metallic)	Bik-W	Silver	EW-ME
40000	**		<del></del>	

ABBREVIATIONS: Bik = Biack, MB = Midnight Blue, MS = Medium Saddio, W = White, DR = Dark Red, DS = Dark Saddio

Only Black, Dark Saddle and Medium Saddle were evaluable in leather

# **1974 SERIAL NUMBERS**

Bedy and Chassis: 1Z67J4S400001 through 1Z67J4S437502

• 3rd and 4th digits are 37 for coupes

• 5th digit veries as follows: J = Base

T=1-82 Y = 454

CLD: L82/Auto (350)

CWS: LS4/Auto/NB2 (454)

Engine Suffic: CKZ: L48/4-Spd (350)

CLA: L48/Auto (350) CLR: LB2/4-Sod (350)

CLB: L48/4-Sod/NB2 (350)

CWM: LS4/4-Spd (454) CWR: LS4/Auto (454)

CLC: L48/Auto/NB2 (350)

Auto = Turbohydramatic, NB2 = California Emissions

# **1974 FACTS**

• 1974 completed the transition to "soft" bumpers with the addition of the new body color rear bumper system. The outside of the bumper is urethane plastic with built in recesses for the Iconse and tailights. Under the urethane is an aluminum impact bar mounted on two slider brackets. The urethane rear bumper on 1974 models is two-piece, with a seam running vertically up the middle. Later years have one-piece urethane covers.

• 1974 is the last Corvette to have genuine dual exhausts. It is also the last to have a non-catalytic exhaust. In later years, dual exhausts flow through a single catalytic converter, then split again into dual exhausts. Since it has no converter, the fuel requirement for the 1974 is 91 octane regular leaded. Later years with the converter require unleaded fuel.

• 1974 is the last year of availability for the 454 CI engine.

 The standard alarm system activator mechanism was moved from the rear panel to the driver side fender in 1974.

• 1974 models with power steering have special power steering pumps with magnets to attract floating metallic debris.

 The radiators in 1974 models were redesigned for more efficient cooling at low speeds.

• The shoulder beits on 1974 models are integrated with the lap beits. Also, the shoulder belt restraint system was changed in 1974. Previously, the belts permitted forward movement but locked when the forward pull exceeded a preset rate. The new system first installed in the 1974 model, contains a small swinging weight which locks the belts when the car decelerates quickly. Movement within the car is not restricted at all as long as the car itself is

### 1974 OPTIONS

ORDER (	DESCRIPTION	<b>8</b> 5544 A
.1YZ37	Base Corvette Sport Coupe	RETAIL \$
1YZ <b>67</b>	Base Corvette Convertible	6001.50
	Custom Interior Trim	\$765.50
A31	Electric Power Windows	154.00
A85	Custom Shoulder Bolts	<b>86.00</b>
C07	Auxiliary Hardtop (for roadster)	41.00
C08	Vinyl Covered Auxiliary Handlop	267.00
C50	Rear Window Defroster	<b>3</b> 29.00
C60	Air Conditioning	43.00
FE7	Gymkhana Suspansion	<b>46</b> 7.00
	Positraction Axie. Optional Ratio	7.00
J50	Power Brakes	12.00
L82	Optional 250 HP, 350 Cl Engine	49.00
LS4	Optional 270 HP. 454 Ct Engine	299.00
M21	4-Speed Close Ratio Transmission	250.00
M40	Turbo Hydramatic Automatic Transmission	nc
N37	Tilt-Telescopic Steering Column	nc
N41	Power Steering	82.00
QRM	White Stripe SBR Tires, GR70x15	117.03
QRZ	White Letter SBR Tires, GR70x15	32.00
UO5	Dual Horns	45.00
U58	AM-FM Stereo Radio	4.00
U69	AM-FM Radio	276.00
UAI	Heavy Duty Battery	173.00
UF1	Map Light	15.00
207	Off Road Suspension and Brake Package	5.00
• The cost of	of the M40 Automatic Transmission with a vision of	400.00

 The FE7 Gymkhana Suspension package includes stifler front anti-roll bar and stiffer springs. Not recommended for pleasure driving use only.

Base prices include standard 350 CL 195 HP engine.

# 1974 COLODE

104	a corous			
<b>CODE</b> 922	EXTERIOR Corvette Med Blue	SOFT TOP	WHEELS	INTERIOR
968	Dark Brown	Bik-W	Silver	Blk-DB-Sil
917		BIK-W	Silver	BIK-N-S-Sil
910	Corvette Gray	BIK-W	Silver	BIK-DB-N-
980	Classic Write	Bik-W	Silver	DR-S-SH
976	Corvette Orange	BIK-W	Silver	BIK-H-S-SI
974	Mille Miglia Red	Bik-W	Silver	BIK-N-DR-S-SI
914	Medium Red	Bik-W	Silver	BIK-N-UR-S-SH
	Silver Mist	Bik-W	Silver	BIK-DB-DR-S-SM
948	Dark Green	Bik-W	Silver	B.K-N-S-Si
956	Bright Yellow	Bik-W	Silver	8k-N-S-SH
ABBREV	HATIONS - BIL - BISCL			CON. 14.7.71

S = Saddle, DR = Dank Red, W = White

Only Black, Saddle and Silver were available in leather

# 1975 SERIAL NUMBERS

Body and Chassis: 1267J5S400001 through 1267J5S438465

• 3rd and 4th digits are 37 for coupes

• 5th digit varies as follows: J = Base

Engine Suffix: CRJ: 4-Speed (350)

CUT: 4-Speed/HP (350)

CRIC: Automatic (350) CRL: 4-Speed/HP (350)

CUA: 4-Speed (350) CUB: 4-Speed (350)

T = L-82

CRM: Automatic/HP (350)

CUD: 4-Speed/HP (350)

HP = High Performance (L-82)

# **1975 FACTS**

 The soft bumpers were redesigned structurally in the 1975 model but external appearance of the car overall remained similar to the previous year. The front bumper was given an inner core of honeycomb plastic to better absorb impact. The extenor of the front bumper was changed slightly and simulated vertical "pads" were added. The rear bumper was redesigned internally to use shock absorber type struts to cushion impact. The exterior of the 1975 rear bumper was one-piece, replacing the two-piece 1974 design. "Pads" were also added to the rear and the 1975 bumper was designed with more side tuck to slim the appearance.

• 1975 is the first year for the use of the catalytic converter on a Corvette. A single converter was used and mounted just below the passenger side floor. Qual exhausts were routed into the converter then split again for dual exit.

 1975 is the last year of production for the Corvette convertible. The last Corvette roadster was built during the last week of July, 1975. It was one of only 4,629 open Corvettes built during the 1975 model production. 435799 6-4

• Engine availability in the 1975 Corvette dropped to the lowest number since 1955. In 1975, only the L-82 engine option was offered as a choice to the base L-48. With the deletion of the 454 CI engine, the 1975 Corvette became the first since the 1964 model to not offer a choice of displacement

• 1975 was the first model Corvette to have the HEI (High Energy Ignition) system. The HEI is quite different than the transistor ignition systems available on Corvettes for over 10 years and included the Corvette's first point-

 The 1975 Corvette tachometer is electronically driven, a change mandated by the HEI system's new type of distributor.

• 1975 is the first year for the use of L-82 hood emblems.

1975 is the first year for a kilometer-per-hour subface on the speedometer.

### 1975 OPTIONS

ORDER #	DESCRIPTION	BCT411 A
1YZ37	Base Corvette Sport Coupe	RETAIL \$
17767	Base Corvette Convertible	6810.10
	Custom Interior Trim	<b>6</b> 550.10
A31	Electric Power Windows	154.00
A85	Custom Shoulder Belts	93.00
C07	Aurilians history for any desired	41.00
COS	Auxiliary Hardtop (for roadsters)	267.00
C50	Viryl Covered Auxiliary Hardtop	350.00
C60	Rear Window Defroster	46.00
FE7	Air Conditioning	490.00
167	Gymkhana Suspension	7.00
J50	Positraction Axie, Optional Ratio	12.00
182	Power Brakes	50.00
M21	Optional 205 HP. 350 Cl Engine	336.00
	4-Speed Close Ratio Transmission	nc nc
M40	IU/DO HYDYAMAIIC Automatic Transmission	nc
N37	INC. LENGSCODIC STORUBU L'OPIENE	82.00
N41	rower Steering	129.00
QRM	White Stripe SDR Tires, GR70x15	35.00
QRZ	WING Letter SBR Tires, CROOMIS	48.00
V05	DUSI HOLDS	
U58	AM-FM Sterco Radio	4.00
U69	AM-FM Radio	284.00
UAI	Heavy Duty Battery	178.00
UFI	Map Light	15.00
207	Off Road Suspension and Brake Package	5.00 400.00

 The cost of the M40 Automatic Transmission with the L-82 engine option we \$120.00

Base prices include standard 350 Cl, 165 HP engine.

### 1975 CALARS

	- CONOIN			
<b>CODE</b> 22	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
	Bright Blue	BIK-W	Silver	Bik-DR-S#
27	Steel Blue	Blk-W	Siver	BIA-D9-Su
42	Bright Green	BIK-W	Silver	
70	Orange Flame			BIK-N-MS-SH
74		Blk-W	Silver	BIK-N-MS
	Dark Red	Bik-W	Saver	BIK-N-DR-LAS-SII
76	Mille Migha Red	6ik-W	Silver	BIA-K-DR-MS-SI
67	Medium Saddle	Blic-W	Silver	
13	Silver			BIK-N-VIS
10		Bik-W	Silver	BIK-DB-DR-MS-Sil
	Class: White	BIK-W	Silver	BIL-DS-N-DR-MS-SI
<b>5</b> 6	Bright Yellow	Bik-W	Silver	BUL-M-MS

ABBREVIATIONS; Bilk = Black, DB = Dark Blue. Sil = Silver, N = Neutral. MS = Medium Saddle, DR = Dark Red, W = White

Black, Dark Blue, Red, Saddle and Silver were available in leather.

 Steel Bive was offered only for three months and during this time no L-82 engines were available due to emission certification problems. No Steel Stile L-82 cars were built in 1975.

# **1976 SERIAL NUMBERS**

Bedy and Chansis: 1237L6S400001 through 1237L6S446SS8

• 5th digit varies as follows: L - Base

X = L-82

Engine Suffix: CLM, CLR, CLS, CHC, CHR, CKC.

# **1976 FACTS**

- The "Corvette" trun identification on the rear bumper of the 1976 model changed slightly from the previous year and the front bumper was redesigned again, but the external appearance of the 1976 was very close to the
- The vents on the rear deck (just behind the window) were removed from
- Chevrolet promoted a new "sport" steering wheel for the 1976 model, but the wheel was in fact the same as used on the Vega. Complaints from outraged Corvette enthusiasts contributed to Chevrolet's decision to replace the
- The 1976 model Corvette came factory equipped with GM's new "freedom" battery, a completely sealed, maintenance free unit.
- The 1976 model Corvette finally got the aluminum wheels first announced as available for the 1973 model. GM had initially contracted a California vendor to produce the wheels in 1973, but quality problems led to GM's refusal to accept and offer the wheels during that model year. In spite of efforts to recall all wheels of this first run, some are in the hands of collectors. The new wheel offered for the 1976 model was of the same design as the earlier offering, but was produced by Kelsey-Hayes in their Mexican facility (and is identified as such on the inside surface). When purchased on the 1976 model, the YJB Aluminum Wheel option includes only four wheels, with a standard steel spare. This was not the case with the aluminum wheels of the 1963 through 1967 period, but was done to hold the price in line for
- The 1976 Corvette received a partial steel underbelly in the forward section. This was done for added rigidity and to better isolate the passenger compartment from the temperatures being created by the engines which were calibrated to run hotter (and thus more efficiently) to offset sume of the emissions-related power losses.
- The carturetor air induction system was revised in 1976 from the previous system of drawing air in at the rear of the hood, to an over-the-radiator source. The change was noise-reduction related, since the proximity of the rear-hood induction to the passenger compartment produced some quite audible hawing sound irritation to driver and passengers.

- 1976 is the last year for a unique Corvette radio. The console was redesigned the following year to allow standard Delco radios to be used.
- . Some items, such as the standard (mandatory option) leather interior, survisors, and interior lighting normally associated with the 1977 model actually appeared in late 1976.

# 1976 OPTIONS

OADER #	DESCRIPTION	
1YZ37	Base Corvette Sport Cours	RETAIL \$
-	Custom Interior Trim	<b>76</b> 04.85
A31	Power Windows	164.00
C49	Rear Window Defogger	107.00
C60	Air Conditioning	78.00
FE7	Gymkhana Suspension	<b>5</b> 23.00
-	Positraction Aule, Optional Ratio	35.00
J50	Power Brakes	13.00
L82	Optional 210 HP. 350 Cl Engine	59.00
M21	4-Speed Close Ratio Transmission	481.00
M40 '	Turbo Hydramatic Transmission	AC
N37	Tilt-Telescopic Steering Column	nc
N40	Power Steering	95.00
ORM	White Stripe SBR Tires, GR70x15	151.00
DRZ	White Letter SBB Time Come	37.00
Ŭ5 <b>8</b>	White Letter SBR Tires, GR70x15 AM-FM Stereo Radio	51.00
U69	AM-FM Radio	281.00
UAI	Heavy Duty Battery	187.00
JFI	Map Light	16.00
/JB	Aluminum Wheels	10.00
	f the M40 Automatic Transmission with the Leas	292.00

- \$134.00
- The rear window defogger in 1976 was of the heated glass element type.
- · Base price includes standard 350 CL, 180 HP engine.

# 1976 COLORS

CODE 22 69 64 33 37 70 72 13 10 56	EXTERIOR Bright Blue Dark Brown Buckskin Dark Green Mahogany Orange Flame Red Silver Classic White Bright Yellow	SOFT TOP  n/a n/a n/a n/a n/a n/a n/a n/a n/a n/	WHEELS Silver Silver Silver Silver Silver Silver Silver Silver Silver Silver	INTERIOR BIK-SG BIK-BUC-DB-W BIK-F-BUC-DB-W BIK-F-BUC-SG-W BIK-F-BUC-SG-W BIK-F-BUC-SG-W BIK-F-BUC-SG-W BIK-F-BUC-SG-W BIK-F-BUC-SG-BG-W BIK-F-BUC-SG-BG-W BIK-F-BUC-SG-BG-W BIK-F-BUC-SG-BG-W BIK-F-BUC-SG-BG-W BIK-F-BUC-SG-BG-W
--	--	--	--	--

ABBREVIATIONS: Bik = Black, F = Firethorn, Buc = Buckskin, SG = Smoked Grey, DB - Dark Blue, BG - Blue-Graen, W - White



Body and Chaesis: 1237L7S400001 through 1237L7S449213

• 5th digit varies as follows: L = Base

X = LB2

Engine Suffix: CKZ, CLA, CLB, CLC, CLD, CLF.

#### **1977 FACTS**

- The interior of the 1977 model was the most restyled since the introduction of the new body style in 1968. A completely new console houses new haater and air conditioning controls. The new console was designed to allow more radio depth so that standard GM radios could be used. Previously, the Corvette radio was unique and the Curvette's production volume would not justify development of stereo tape and CB units. But starting with the 1977 model, more options became available since standard GM line Delco radios could be used.
- A new steering column in 1977 permitted designers to move the steering wheel of the 1977 Corvette two inches closer to the dash. In addition to creating a more "arms out" driving position, the change makes entry and exit easier. The steering wheel and horn button were also redesigned.
- The luggage rack of the 1977 models was redesigned to hold the top roof panels. This permitted the luggage compartment to be used while the roof panels were off the car, something that was extremely restricted in prior years.
- The CC1 glass roof panels, listed as options in early 1977, were not available during the 1977 model year. The agreement between GM and the supplying vendor was cancelled, reportedly after dispute regarding the exclusive marketing of the panels by GM. GM introduced its own glass panels in mid-1978, again with the CC1 order designation. The manufacturer of the panels that were to be available in 1977 marketed them under the trade name "moon roofs" and they became a quite popular aftermarket item.
- In 1977, the burgiar alarm switch was moved from the left fender to the driver's door lock.
- Leather seats are standard equipment in 1977 Corvettes and, for the first time, cloth seats trimmed in leather could be ordered.
- The headight dimmer switch, windshield wiper and windshield washer controls are all located on steering column stalks in 1977 models.
- 1977 is the first year of availability of Cruise Control on Corvettes (Automatic transmission only).
- The sunshades in the 1977 model Corvette were redesigned to permit awinging to the side to block door window sun entry.

 The interior rearview mirror in the 1977 model was moved to the windshield from a pravious mounting just above the windshield, minimizing wipration.

#### 1977 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
1YZ37	Base Corvette Sport Coupe	8647.65
A31	Power Windows	116.00
632	Color Keyed Floor Mats	22.00
C49	Rear Window Defogger	84.00
C60	Air Conditioning	553.00
035	Sport Mirrors	36.00
FE7	Gymkhana Suspension	38.00
G95	Positraction Axie, Optional Ratio	14.00
K30	Cruise Control	88.00
182	Opuonal 210 HP. 350 Cl Engine	495.00
M21	4-Speed Close Ratio Transmission	NO.
M40	Turbo Hydramatic Automatic Transmission	nc nc
N37	Tilt-Telescopic Steering Column	165.00
ORZ	White Letter SBR Tires, GR70x15	<b>57.00</b>
ÜAT	Heavy Duty Battery	17.00
U5 <b>8</b>	AM-FM Stereo Radio	
U69		281.00
	AM-FM Radio	187.00
UM2	AM-FM Stereo Radio W/Tape System	414.00
V54	Luggage And Roof Panel Rack	73.00
Y.JB	Aluminum Wheels	321.00
ZN 1	Trailer Package	<b>8</b> 3.00
ZX2	Convenience Group	22.00

- The cost of the M40 Automatic Transmission with the L-82 angine option was \$146.00.
- Power steering, power brakes and leather (deluse) interior were all made standard equipment in 1977. They were mandatory options lete in 1976.
- Base price includes standard 350 Cl, 180 HP engine.

### 1977 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
19	Black	n/a	Silver	Blk-Buc-R-SG-W
28	Corvette Dark Blue	0/2	Silver	Bik-Blu-Buc-SC-W
26	Corvette Light Blue	R/a	Silver	BIK-SG-W
66	Corvette Orange	A/2	Silver	Blk-Br-Buc
83	Corvette Dark Red	n/a	Silver	BIK-BUC-SG
72	Medium Red	n/a	Silver	Blk-Buc-R-SG-W
13	Silver	'n/a	Silver	Bik-Blu-R-SG-W
80	Corvette Tan	D/a	Silver	Blk-Br-Buc-R-W
10	Classic White	N/a	Silver	BIK-DLI-BOBIC-B-SG-W
52	Corvette Yellow	Na	Silver	Blk-Br

ABBREVIATIONS; Bik = Black, Buc = Buckskin, R = Red, SG = Smoked Grey, W = White, Big = Blue, Br = Rrown

All interiors genuine leather or leather/cloth combination.

# **1978 SERIAL NUMBERS**

Body and Chassis: 1287LB5400001 through 1237LB5456A97

4 - LB2

•8th digit for page car is 906503

Engine Suffix: CHW, CLM, CLS, CLR, CMR, CMS.

#### **1978 FACTS**

- Chevrolet celebrated the silver anniversary of the Corvette by introducing the most restyled Corvette since the 1968 model. Most apparent change was the rear end which was given a large window in true "fastback" style. The change created significantly more luggage space behind the seats. A retracting cover was also added to the rear storage space to hide the contents from peering eyes or damaging sun.
- The interior of the 1978 model was also redesigned. The driver instruments (speedometer and tachometer) were redone in a squarish, more vertical mode. A glove box was added. Inner door panels were completely new, featuring removable arm rests rather than the molded-in style common to Corvettes since 1965. Windshield super and washer controls were moved back to the desh, though the light dimmer switch remained on the steering column.
- New "25th Anniversary" emblems are used on the exterior and interior.
- The fuel tank in the 1978 model was redesigned to hold 24 gallons, rather than the 17+ of previous years.
- The theft alarm system was modified in the 1978 model Corvettes to include monitoring of the roof panels.
- The 1978 Corvette was chosen as the pace car for the Indianapolis 500 rave. To commemorate the event, Chevrolet introduced a "limited edition" Pace Car Corvette. The design features and build quantities of this car led to considerable confusion. Initially, the Pace Car was to have been two-tone silver with red striping. It was to have special Goodyear tires with "Corvette" sidewalls and the build quantity was reported to be 1000 cars. After several changes, the final paint scheme became black over a silver bottom with red striping. The Goodyear "Corvette" tires were dropped as unfeasible and the build quantity became one for each Chevrolet dealer (approximately 6000) plus extras. The final count was 6502.
- Wider "60" series tires became available on the 1978 Corvette and required fender trimming by the factory for clearance. Standard size remained "70" series radials.
- The "Silver Anniversary" paint option consists of two-tone silver (light silver top surface and darker silver bottom with silver dividing tape stripes).
   Sport mirrors and aluminum wheels were mandatory options.

#### 1978 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
1YZ87	Corvette Sport Coupe	9351.89
19787/78	Limited Edition Corvette Sport Coupe (Pace Car)	13653.21
A31	Power Windows	130.00
AU3	Power Door Locks	120.00
<b>B2Z</b>	Silver Anniversary Paint	399.00
CC1	Removable Class Roof Panels	349.00
C49	Rear Window Defender	95.00
C60	Air Conditioning	€05.00
D35	Sport Mirrors	40.00
FE7	Gymkhana Suspension	41.00
G95	Positraction Aule, Optional Highway Ratio	15.CO
K30	Cruise Control	99.00
L82	Optional 220 HP. 350 CI Engine	525.00
M21	4-Speed Close Ratio Transmission	323.00
MXI	Turbo Hydramatic Automatic Transmission	
N37	Tilt-Telescopic Steering Column	175.00
QSS	White Letter SBR Tires, P255/60 R-15	216.32
ÕGR	White Letter SBR Tires, P255/70 R-15	
ŨA1	Heavy Duty Battery	51.00 18.00
UM2	AM-FM Stereo Racko W/Tape System	
UP6	AM-FM Stereo Radio W/CB System	419.00
U58	AM-FM Stereo Radio	638.00
U69	AM-FM Radio	286.00
U75	Power Antenna	199.00
U81	Dual Rear Speakers	49.00
BLY.	Aluminum Wheels	49.00
ZN 1	Trailer Package	340.00
ZX2	Convenience Group	69.00
		84.00

The base price of the Pace Car includes options A31, AU3, CC1, C49, C60, D35, N37, Q8S, UA1, UM2, U75, U81, YJB (with red accent) and ZV2. Added cost options are ZN1, YF5 (California Emissions), and K30. The UP6 radio could be substituted for UM2 at a cost of \$219.00. Outcomer had choice of transmission, engine and cloth/leather interior.

#### 1978 COLORS

COOR	CACCOOL			
CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
59	Corvette Light Beige	N/a	Silver	BIK-LU-DB-M
19	Black	n/a	Silver	BIK-LB-R-M-O
83	Corvette Dark Blue	n/a	Silver	DBLBO
26	Corvetie Light Blue	n/a	Silver	DB
89	Corvette Dark Brown	N/a	Silver	DB-LB-O
82	Corvette Mahogany	N/a	Silver	BIK-LB-M-O
72	Corvette Red	n/a	Silver	Bik-I.E-R-O
13	Silver	n/a	Silver	BIK-DS-R-M
13	Silver Anniversary	n/a	Silver	Bik-R
10	Classic White	Na	Silver	BIK-DB-LB-R-M-O
52	Corvette Yellow .	n/a	Silver	Bit-O

ABBREVIATIONS: Bik = Black, LB = Light Beige, DB = Nark Blue, M = Mahogany, R = Red, O = Opster